7-1-1966 set C/M over 1/2" x 2' rod by meas.
section corner south 35-36 Farm 108-13 ①
North 1-2 Haver 108-13
5-1872 Hunter P202 No 211 L 1 & 2. J Moody, A Raymond.
found short stake from stumps of B trees cut above
marks proving corner correct. #833605
– meas east 39.85 2639.1 which is Midway to twsp cor.
– meas south to stone set by pofg. meas.

11-1886 Hunter P416 No 405 L 36 H Ludey E Raymond.
corner set P202 gone. by Mr Amos Parks, reputed
pioneer settler anerz he set corner part of road fences
west and north at 31' west & 31' north corner in place.
–16 east set stake M&L 19.97. 1318.02
–16 North " " M&L 20.00 1320.0
–16 Center SW 1/4 36 set stake M&L on N-S 1/16 line

7-1898 H F Fraser P639 No 575 L36 F Kefer, R Moody.
replaced corner stake as Hunter did P416- Mr Parks present
-16 east set stake M & L 19.95 1316.7
-16 North set stone M & L 19.98 Chen stone 9.99 N of 1/16 cor.
- also set stones at center SW¼ 36 1318.68 and stone M & L north

---

7- 1966 J Kerr corner in cut, gone. run line from SW 35
to S¼ 36. giving Meas east 2633.4 as recorded as 1/16
fence north came at 1316.7 Medway
- Meas west 5266.7 to SW corner 35
- corner comes in center N-S road, 2' north center E-W road
- Center blazed 14" burr oak which turns up 9' above ground SE 120.7.
- Disc on west side smaller power pole. SSE 122.9.
- Disc on SE side large " " NE 42.2.
- punched cross west end road culvert NW 29.12.

#833605 (2)

Section Corner South 35-36 Farmington 108-13
North 1-2 Haverhill 107-13

set by John Ball 10-1853
79.00 Enter scattering Timber
Burr Oak (open Rg)? N.E.
80.00 Set post for Corner to Sect. 1, 2, 35 & 36
Burr Oak 10 S 88 E 203 lks
Burr Oak 12 N 10 E 150 lks.
& dug trench per instructions