#840108 (1)

7-7-1964 set C/M over stone
7/20/90 Set + CIM over CIM

1/4 corner North 1/4 1 Aroroco 108-14.
5-1879. Hunter P359 No 350 L1 LPomray, A Stedman
set stake on range line M&L 40.05
even with surface. the line was from Wrap corner to
SW cor 36 109-14.
-16 east set stake M&L 20.02 1/2.
- mear SW 36 to SE 36 80.02. both corners in.
- set S 1/4 36 109-14 M&L. 40.01
- S 1/4 36 to NE cor 1 govt record = 9.42 (9.94 - 9.99) T.M. 1879 See Id book #5 p. 99
after relocating engraved corner set 9-1878 making
north line L1 80.10 instead of 79.58 or 52 links
this would make NE 1 to S 1/4 36 8.9 chains. - over -

Limestone with cross and 3/4" rod north of stone corner
used many years
1946 C H D B 44 P 75 found 6 x 8 x 24 L stone N Midway 2640.3
set 3/4" rod on North side. - Disc in 24" Maple SW 50.25 Spike in S.
Spike; disc in maple SW 74.65' Disc in P.P. NW 60.2 in P.P.
NW 65.27'
Spike; disc in P.P. SE 45.15

7-1964 set C/M over stone
drag tooth in 24" Maple SW 68.85'
Disc power pole NW 42.25'
" tele pole NE 47.6.
" power pole SE 74.6.
punched cross in N end culvert NW 23.95'
" " S " " SW 30.47.

7/20/90 FD PIPE RISER W/ UNREADABLE PLASTIC CAP CIM 12" DEEP, PULLED PIPE AND SET 10" CIM OVER CORNER IS 4½' WEST OF ℄ CR #114 RUNNING SOUTH & C.R. # 80 WABASHA Co. RUNNING NORTH & 2½' SO of ℄ TWP RD EAST & IN ℄ MAIN RD WEST

Cont

#840108 (2)

1/4 CORNER NORTH 1/4 | ORONOCO 108-14

7/20/90 Cont. Rp's

CHD DISC IN TELE POLE STUB NE 44.77'

CSD IN TELE POLE STUB NW 59.32'