1 9-22-92 set C/M over 2" iron rod & glass (1)

#840404

1/4 corner 4-9 Oronoco 108-14

6-1891 2 bros Fraser unrec SL4 P95 black took with flap ran from large boulder found at SE4 undisputed west found. large boulder at 1/4 4-9 agreed to have been set on mound. on moving stone & digging found old stake several who knew of stake claimed it to be genuine. - set stone 8x12x32 upright over stake.

very near on direct line between SE4 & SW4.

- meas east 39.98½ 2639.0
- meas west ~~6½ 39.98~~ 2633.50 (indefinate notes) claimed quote "west half of mile short 6½ feet. ~~could be link~~.

8-9-72 run line from C/M at 4-5-8-9 from hilltop.
at 3578.08 set nail on random line at line of fence
running south at 2636.54
dug by hand as line came near S edge road.
found small piece of sandstone about 6" square above
and just NE edge of very rotted wood stake over 12" long.
tilted slightly south, set 1/2" rod as temp. corner.
Cont. line east - set nail in line 1/16 fence N at 3945.61
Cont. to center N-S road in line random nail from south
to 5264.58 which felt 1.34. South of 2614.64 nail from S.
8-11 dug with tractor in area of 2 nails found notching.
8-14 dug and found large stone at 1/4 8-9 as recorded.
at 2631.47 - stone 5.07 west .3 north orig 2636.54
nail.

See Card #2

Card # 2 1/4 4-9 Chronco. 10 8-14 #840404 (2)
iron now in place. 4 too far west to center over stone.
there is a kink in this section line as Thos Fraser
said about .45' that stone lies S of direct line.
after finding recorded stone at 3-4-9-10 5' dep
at 5268.5

9-22. found both irons - set C1M over 2' iron rod
and glass. 4' east of iron thus placing corner exactly
over stone 2631.5 east of 4-5-8-9 and 1318.5 east
to 1/16 stone found now equally N & S to C1M over stone
found at 3-4-9-10. C.S. desc in Report SW-17.52

			final
5.1	E	to eye line of fence south	2631.5 west
7.5	N	to center E-W road	2637.0 east
18.6	55 5' E	S to PK nail on E side corner post	.45' S direct line

1/16 corner between 1/4 4-9 and 3-4-9-10 Corner.
8-9-72 set nail on random line ℄ steel fence north at 3945.61 or 1309.07 east ℄ nail in line fence S at 1/4 4-9 R about 1319. final corner at 1/4 4-9 at 2631.5 from west and final corner at 3-4-9-10 5268.5 - found 8" □ limestone vertical in clean soil at 3950.0 making at N & L 1318.5 - set plow share by stone with 1/2" x 2' rod near as corner stone down 2.35' near ℄.

17.67 5' W ℄ N to cone nail in tall ele fence pole.
39.41 5' W ℄ N to PK in lead cap in E side Main Cor P.
32.78 ℄ N to cone nail in wood corner gate post.

4-11-83, 1/4 Cor 4-9: Fd. CIM OK

Ornamental 1/4 corner 4-9 #840404 (3)
Govt Notes M. Kavanagh 1854
40.00 set temp. 1/4 sect post
West on True line between sections 4+9
V 9° 9'
40.00 Set