1 6-3-1969 set C/M over orig iron stone conc glass cap (1)
section corner 5-6-7-8 Aroroco T08-14 #840505
5-1892 2 hos Fraser P485 No 462 L8 Huntzinger
found stake in center pile of stones partly lying down.
- meas 1/2 mile north which was 40.00.
- meas 1/2 mile west, found stake set by Horton, this
was 17 1/2 lks ~~over run or~~ 40.17 1/2 - 2651.55'
set stone in its place with cross on top. at 46-7
- meas 1/2 mile east to stone short 26 1/2 lks
decided could not set corner midway as lines on W 1/2
Sec 7 were all long. so set iron at corner with rock about it.
- 16 east set boulders 15 x 22 x 26 M&L 19.86 3/4 (1311.26.
- 16 south set stone 4 x 8 x 18 with cross M&L 19.93 3/4 (1315.9
-one-

9-1893 W Fraser P533 no 496 & 6 A Gillispie
found iron in pile of stone P485 F. Sholtzer.
no meas

6-1894 W Fraser P550 no 508 & 546 A Pierce. W Ruber.
I Hoffman & others
found corner. P533.
-16 North set stone M & L 19.84 3/4. 1309.94
Note P 485 meas north 40.00 to corner. now 2619.88'
as corner could not be found & had to be set on line and
govt prop meas. N 40.31 1/2 (2660.8' S 19.84 3/4 M & L 2619.88

6-3-69 J Kerr found iron set in concrete by Mr Glabe years ago.
Broke up concrete set C/M over rod with cond & stone below on
E-W & S sides nothing on side next to corner post 1' north.
- fence line running East - 6' meas north -
- orange pop cap in Red cedar post N 19.7.
- corner tied under fence running north - east line cattle lane.

Oronoco Section — corner 5-6-7-8 #840505 (2)
Gov't Notes M. Kinnick 1854

80.00 Set post for corner for sect 5-6-7-8
erected, mound with trench + pits
Planted Stake and Osage Orange seeds
at each angle