/ 6-4-69 set C I M over 1"x10" pipe with tarvia both in ring of boulders. (1)

1/4 Corner. 5-6 Oronoco 10 8-14.
#840506

5-1892 2 hrs Fraser P485 No 462 L8 Huntzinger in testing corner found at 5-6-7-8 meas north to above corner - meas 40 chs no dec given of corner. or any line or meas north to town line.

9-1893 2 hrs Fraser P533 No 496 L 6 7 Schultz, A Gillespie. could not find corner and did not relocate it as it was not needed in this survey.

6-1894 2 hrs Fraser. P550 No 508 L 5 & 6 A Pierce. W Ruber J Hoffman. & others.
Could not find corner - relocated it on line and govt. porp. meas. set boulder & stake
- over -

-16 south set stone M & L. 19.84 3/4. (1309.94'
-16 east set stone M & L. 19.96 1/2. (1317.7'
-16 west. set boulder stone with hole in top M & L. 20.03 3/4
(1322.5'
- Meas North 40.31 1/2. (2660.8'

6-4-69 J Kerr Meas from C/M 5-6-7-8 found 1/16 stone at 1309.4 - found hole where W Fraser placed stone but stone gone at 1309.4 ± from 1/16 stone. set C/M over 1"x10" pipe with narrow dorch dredged in. put complib ring of boulders around pipe & glass. 98.15 N To pepsi cap in cor fence post. 117.25 ENE to pepsi cap in power pole. Meas west To Center 6 found. R 2645 actual 2645 ± a few tenths Center blacktop meet about #322.5 drove nail which is about corner lies in line fences N & S slightly east of N end of fence south corner within 5' of south edge traveled road 2' south of road. East to center 5 stone 2633.0

#(2)

1/4 Cor 5-6 Oronoco 108-14 #840506

5-23-75 Dug out John Kirr's rod and found another 1/16 West rod below and also a stone very high in fill (definately not W.F's). Dug up to 4' north and 5" deep for W.F's boulder with hole cut in top. Found huge boulder about 3' N (too big to lift with Charlie) with depression in top, but no good evidence it was Will's. Set nothing back.

Gov't Notes M. Kanack 1854

40.00 set 1/4 sec post in mound with trench + pits, charcoal stake and Osage Orange scribe N.E. + S.W.

11/20/52 CHD used top point of large boulder 1/16th West RP's disc in maple
disc in P.P. NE 80.49' (bk 183) NW 92.06'

"840506" E

6-5-98
MW EA

✓ 1/4 Cor 5-6 108-14 oronoco.
fd CIM in good Condition
10" deep in Crushed Rock
Twp Rd. 3' South of ℄ E-W Rd.
& 1' East of Fence line
North & South

840506" 1/4 COR 5-6 108-19 6-7-99
FOUND CIM IN GOOD CONDITION DOWN 1.0'
2' S OF ℄ E-W TWP ROAD & 1' W OF
FENCE LINE N-S.