1 ~~26~~-10-69 set C/M corner ½" rod at intersection range line & N-S meridian

section corner north 5-6 Aronoco 108-14 and Wat. Co. (1)

9-1893 Jt Fraser P533 no 496 & 6 F Schultz, A. Gillespie

corner gone no evidence of corner or how to relocate it. #840507

Run 2 mile line NW 6 to NE 5 over ran 5 links.

set stone 5x8x18 on line and gont. perp. meas.

- meas east ~~80.02½ (5281.65~~ 80.17½ 5291.55

- meas west 40.01¼ then 20.00⁵/₈ then 18.36⁵/₈.

2640.82 1320.41 1212.17

6-1894 Jt Fraser P550 no 508 & 5 & 6. A Pierce

found corner P533. W Ruber.

1/16 west drone stake N & L 2000⁵/₈ (1320.41' J Hoffman and others.

-1/16 each set stone N & L 20.04⁵/₁₆ (1322.8'

-over-

Meas south. 40. 31 1/2. 2660.8' set temp point at 1/16.
Center NW 1/4 5 set stake on N-S 1/16 line 20.42 5/8 from north
then 10.93 7/8 to stake then 8.96 to stone.

6-10-1969 J Kerr found NE cor 5 and township corner then
run line from SW cor 5 over 1/16 north and 1/4 5-6 and set C/M.
at inters lines. over 1/2" rod china, cane glass.
- Angle steel fence post up 3 1/2' on exact line ~~23.7~~ gone 83
- W bar steel fence post in north road fence, really 5' W of N- ~~49.2~~ gone 83
- M Dew cap in top 4" cedar brace post SE 29.0
- corner on extreme south edge traveled road. 26.95 1967
- set 1/2" rod with steel fence post beside it at 1350.32 South then
1309.82 to 1/4 5-6. gone prop meas. total meas 2660.15 R 2660.8
- meas east to C/M N 1/4 5 2647.7 then 2644.75 to NE cor 5
- meas west to 1/2" rod on N 1/4 6. 2636.8 R 2640.8 then 2529.8 to brg cor
R. 2533.1

Oronoco Section corner North 5-6 #840507 (2)
Cord Notes M. Kamrick 1554
80.00 Intersect Standard Parallel No. 2
955 lks east of 1/4 section post in south
Boundary of sect. 31 at township 109
Set section post for section 5+6 created
mound of trench + pits with chiseled
stake and Orange Orange Seals at each
angle
4-28-83, N.5-6: Found Rec CIM Tilted South. Only one
RP remaining. Dug down to 1/2" rod beneath CIM
and reset CIM over it. Then 8' South & E-W road
and 9' West of fence line South
RP: Pop cap in top of brass post SE ~ 8.45'

(see back)

Prorating from NW6 to NE5 comes 4.3 E for W.F. corner.
shooting 1/16 fence E. comes 2.7 E for W.F. corner.
Road in cut here. Could possibly still be mark.