Section Corner Township Corner #8406007

NW 6 Oronoco 108-14

NE 1 New Haven 108-15

5-13-75 Dug to verify twp. corner. Found two 10" C.I.M's over large square topped limestone monument. Reset 20" C.I.M. over stone. No new R.P.'s

1/16 west Dug away S. 3/4's of road to clay but found nothing

1-6-9-1969 set short CIM over marked twsp monument (2 cards)

Cor 1974 - Set 16" mound over original monument and CIM.

section corner. township corner. #8406007 (1)

NW corner section 6 Aronoco 108-14.

NE corner section 1 New Haven 108-15.

9-1893 W Fraser P533 no 496 S6 T Holtz, A Gillispie.

found engraved twsp corner in center road.

-16 east set stone boulder on line at 1836 5/8. (1212.17'

then 20.00 5/8 to N 1/4 6.

-16 south set stone boulder at point located in previous survey.

at 20.91 (1380.06 then 19.89 (1312.74' to W 1/4 6.

-16 center NW 1/4 6 set boulder stone by measure.

20.83 1/2 N to 1/16 (1375.11' - 18.38 3/4 W to 1/16. (1213.6'

6-1894. W Fraser. P550 no 508 S5 & 6 A Purcy W Ruber.

found engraved corner P533 J Hoffman & others

-over-

6-1902 Ch Armstrong P54B S1 H.M. Wright
found stone monument in south wheel track.
-16 west found boulder stone on line & midway 19.98+
-16 south found boulder stone in line E-W fence. Meas from above 1/16 North 20.85 (1376.1' - south 19.91 (1314.06'
-16 center NE 1/4 S1 - set limestone 2x12x22.
set at inters lines - found old corner N 87° W 9 links under fence corner wrong destroyed old corner.

6-1902 C Armstrong P56B S6 L Myers, H. Mahan.
found corner - found 1/16 cor south P54B.
-16 center NW cor 16 set iron 1½x22 inters lines
- meas E 20.00 - N 20.69 - S 19.94 W 18.18.
also set boulder. 1/64 cor N & L west of above 1/16 9.09

#F840607 (2)

Card No 2 NW cor 6. ~~New Haven~~ Oroppo 108-14
NE cor 1 New Haven 108-15

Extension line and meas from NE corner 5 Oroville as per 1894 survey. line 116.5' @ south from N 1/4 6 corner post and corner post at NE 5.
- found NE cor 5 11.0' south and 2.7' west of said cor post
- found Twp corner 126.9 north of @ line. 4.3' east of chainage
- run N-S section line at east line section 6. to determine E-W & N-S-6 - from this line to Twp corner found 5170.7 R 5173.4.
Corner set in cement as N 1/4 6 is 1.1' too far east

Corner lies almost exactly in center road.
737.4' from fence running north R ~~737.22~~ 738.54
RP. no poles or fences within several hundred feet.
2 huge boulders lie in pasture land south west of corner
nearest stone roundish likely 3' diameter elepticshaped. the
west stone near 4' high jagged shaped and twice as big, as big
as 3 x 4 x 4' high. Chase cut in high point on east half
of stone top - 48.9' SW of corner stone (see below).
Dug enormous hole to find corner figured it should be W. & S.
- Meas from NES 10459.0 R. 10464.8.
West mile 5170.7 east mile 5292.6.
R 5173.4 R 5291.4.
7-24-69. found stone witness gone (unbelievable) meas to other large (center)
boulder 4'x3'x2' SW in line E edge wooded island 80 rods SW 45.5
- center road running SE - east 265'+