7-3-1964. set C/M in place of grader blade. ①
#840706

1/4 corner. west 1/4 7 Aronoco 108-14.
east 1/4 12 New Haven 108-15.

5-1897 Hunter P309 no 303 S 1, 6, 7 A Gillespie
corner gone but found. both B trees standing.
reset stake from B trees
-16 north set stake N&L 19.94½
-16 center NW 1/4 7 set corner on E-W 1/16 line.
west 18.37 east 19.97

5-1898 W Fraser P629 no 569 S 12 7 Ackerman
found stake; tested S W B T standing and stump S E B T.
-16 west set stone N&L 19.94. -1316'

-over-

5-1941 J Kerr found corner post concreted in ground removed post set grader blade in place of post.
Later note this grader blade and same 1 mile west put in by farmers or land owners where true corner tested by B trees were in place.
-16 west set rod M&L 1316.3 R1316' B81P23.
RPs available.. in twsp road near N-S 1/16 fence.

7-1964 J Kerr removed grader blade set C1M.
- drag tooth NW side 24" B oak. ∠430 W 56.52 (orig. B.T. S45°W 83 lks Sw.o.s. 54.17
- center 16" burr oak. ∠E 21.9.
- blaze in hub on telepole N 113.0.
- grader blade up 1.8' W 1.0
- steel fence post E 1.2.
- Iris west of curved twsp road likely 50' or more.

#840706 (2)

¼ Corner West ¼ 7 Oronoco 108-14
East ¼ 12 New Haven 108-15

9-27-1977 (Mn/Dot RPs)

Corner 94' West of intersection
of crush rock road N-S-E

CN & D (up 1.0) on SE side 20" Box Elder SE 12.90
CN & D (up 1.0) on E side 12" Bur Oak SE 21.65
Nath edge grader blade West 0.9'