X 5-20-69 set C/M over orig stone, glass, iron
section corner 9-10-15-16 Oronoco 108-14 (1)
#841005
6-1902 H Fraser P42B S10 Oronoco Town Board.
found stone corner - no other records.
- meas east 2626.5' to stone.
- meas north 2641.0' to stone.
1916 Power Dam Survey - Sheet #3060 - shows "Stone" Meas. W 2582.1 Then. 2684.7
5-1941 J Kerr B23A P4
found red boulder with cross on top - set 1/2" pipe
risers and mess junk
1/2" pipe in fence line N 33.0'
Sp in corner post SW 29.75'
Sp " " " SE 24.75'
- over -

Co Hwy Dept 2-1952.
used corner.

found ½" x 5' iron pipe 33' north badly bent but last 2' straight
dug with tractor 5-20-69 at 33' found stone 4'4" deep.
set C/M one stone and orig iron riser ½" x 10" pipe below with glass
orig pipe as straighened & reset just N cor post up 1' N 33.2

repair cap.	power pole # 37859	SE	30.3
" "	" " # 37891	SW	43.15
Orangade cap	tele pole brace	NW	54.7
Center lightly blazed 12" bl oak. up 6'		NW	70.6

tree very near anchor to above tele pole brace
No mnac taken to corner from any direction.
Corner lies at least 5' south & E-W road. fair line fence North & E road south

Ormsco Section corner 9-10-15-16 #841005 (2)

Govt Notes M. Hancock 1854

80.00 Set post to Section 9-10-15-16

Erected mound with fence, pits, charred stake and Orange Orange trees at each angle