K 5-20-69 set C/M (down ½") over 1¼" x 14" pipe. #1
5-23-75 removed C/M - fd. 5/8 sq. iron down 5½' in Bit road

¼ corner 9-10 Oronoco 108-14
#B41006

6-1902 H Fraser P42B S10 Oronoco Town Board.
found stone as corner. (no other records).
- meas south 2641' to stone.
- 16 north set large stone as corner M & L 1307.0'
- 16 east set stone M & L 1315.6'
- 16 center NW ¼ 10 drove iron stake M & L 1311.5'
on N-S ¼ line also set stakes for fencing.
- 1/16 corners north & center NW ¼ set 4-1904 (caption)

Note 8-18-92. found 3-4-9-10 and 1/16 stone south tilted some. believe ¼ 9-10 at least 1' south and up to 4' west.

- over -

Co Hwy Dept.
iron pipe.
Hub near elm. 92.1
Dice fence post N.E. 92.0
Hub NW 88.4.
- meas north to 1/4 3-4. 5267.0

topo notes county - corner a PI with 12° angle. in center line.
stationing runs toward east. - fence + 90.0 corner & PI + 89.9 or 1' west.

5-20-69 J Kerr. dug 1' hole in blacktop at spot above.
found stub old fence post N.E. 92.0
dug 4' deep could find nothing but fill - recorded as deep.
bottle cap. power pole # 40418 NW 44.4
" " " " 37746 NE 48.9
" " " " SW 63.3
set CIM over 1"x14" pipe last 8" solid new blacktop material new.

#841006 #2

1/4 Cor. 9-10 Oronoco 108-14

5-23-75 Dug on W. side Kerr C.I.M. (removed) and found 1" x 2" hub and 5/8" square rod 3 1/2' deep beneath old road. Rod at least 2' long and bent over. Used bolton as corner location and referenced since road to be changed. Correct corner lies 1.6' N and 2.45 W. of Kerr location, 1.6' N & E-W road, 1' N & road N, and 3' W fence line S.

R.P.'s C.S.D. W. side power pole # 40418 NE 84.18'

C.S.D. E. side power pole # 43049 SSE 81.19'

Top center 5" square telephone box NW 90.32' 89.73 T-85

9-1939 C.H.D. Book # 113 page 77 — Found old survey stake about .3' below surface over iron rod.

Gen'l Notes Mt. Karnack 1854
40.00 Set 1/4 section post in mound with
trench, pits, charred stake and Osage
Orange scads N. E. & S. W.

5-17-85 Fd 1" sq pipe/cap which fit RP's NE and SE
taken in 1975