X 5-19-69 set CIM over spot from year over stone ? below (1)

#841105

section corner Dig 4' 10-11-14-15 Oronoco 108-15

5-1892 Chas Fraser P484 No 461 S 10 John Pickliff found stake with stones around it, placed by Hunter. found black oak as NW BT. Mr Christ King claims Hunter had used corner 3 times. Pickliff claims corner should be south. Bearing trees say north but as Hunter set or used corner, I dug south and found 1/16 corner marked set by Hunter which came 20.00 ℄ north of 1/4 14-15 by doubling distance corner would come within 1½ Links ℄ where BT would put it. or 16 3/4 links north of present corner, towner left as is. Then - meas north to NE10 80.26½ or long 26½ lks. left corner as is. E¼10 gone.

- meas west 39.76 1/8 to stake Mr John. Zuedemann
anere he drone for Hunter who found orig stake.
(set stone boulder. Δ 7" x 18" long.

5-1900 C Armstrong P668 no 594 Δ11 7 Koenig
found sandstone broken in 4 pieces, tested by 1/16 cor south to be
19.90 - meas north 1 mile 80.40
- set bur oak stake with small stones around it 2' deep.
-16 north set sandstone 6 x 12 x 30 M&L 20.10 / inters. lines
-16 center SW 1/4 11 set stone 6 x 14 x 22 in M & pits.
- meas east temp point M&L 19.89

6-1902. 2t Fraser. P42 B. Δ10. drove town board.
found stake & broken stones, part of stake broken & pulled out.
set new stake and stone.
-16 west found stake M&L 1311.25 set new stake & broken pipe.
-16 north found stone set by Armstrong. at 1325 then 1322
-16 center Δ E 1/4 10 set stone M&L 1314.75 E-W 1/16 line. to 1/4 10-11

(2)

Card no 2 on 10-11-14-15 Arnovo 108-15.

#841105

5-1941 JKerr B23 P4 wrong power dam survey.

1" pipe with ½" pipe riser

¾" pipe in road bank LW 21.65

Center 5" ash tree LE 23.0

6-1947 JKerr B34 P13 Sandy point survey.

found ¾" pipe or some size of pipe.

60D 30" burr oak. WNW 186.0.

Spike power pole. LE 52.4.

– Meas east to point on west bank lake 2340.38

Power Dam Survey (1916) ⊕ Found stone

Meas North 2656.0

(over)

5-19-69. found pipes used as rock over org stone.
3/4" x 30" inside 1¼ x 16" pipe place
set C I M nothing below but org stone likely deep.
Corner lies center line E-W road.
" " 3½' E to center road south.
" " 2½' W to edge " "
pepsi cap. Tele pole place. N W 35.5
coke cap power pole # 37881 S W 35.5.
pepsi cap " " " 37882 S E 52.4
line of straight fence on W side road South - W 20.5.

5-5-1970 Co Surv. run line from 1 mile North 5293.58 R5293.0
found 1/16 stone North 1324.51. WFR 1325.0 Chain R 1326.6.
stone under E-W new fence above ground. (safe) rag on wire.

Orinoco section corner 10-11-14-15 (3)
Gov't Mon. M. Knuck 1854
50.00 Set post for corner to Section
10-11-14-15

#841105

Juk Oak-6 S 54 W 30
" " 7 W 44 W 42
" " 6 W 43 E 46
" " 6 S 49 E 39