6-3-1965 set C/M over limestone and pipe, (1) 4" dup section corner. 11-12-13-14 Aronoco 108-14 9-1893 Surv Fraser P532 No 495 & 11 Ch. Russel.

#841205

found stake driven in previous survey from B.T.'s Mr Campbell avers he will set stone in place of stake.

5-1900 Ch Armstrong P668 No 594 & 11 Fred Koenig. found stone, up 4", avered by Chris Wadeking as corner for 20 years in line row cottonwood trees North and scrubby fishy. - trees amount oaks on N side of road. corner in curve on S side road.

Meas - west 39.78 small stake M & L in lake

Meas north 40.17 to stake in pile stones set M & L.

Power Dam Survey (1916) Stone Found

-over-

J Kerr found corner early survey set pipe by stone RPS.
6-1965 J Kerr found stone & pipe 4' deep in south edge traveled road as road curves northwesterly.
set C/M over stone, pipe and quer V shaped concrete block.

-60 D (found) west side burr oak stump N 53.38
60 D " 8" walnut in fence LW 46.2.
corner lines with poor fence south, oak tree row north.
1/16 west set 1" pipe at 1305.75' (1947) 2621.7.
RP 1/16 - head 60 D spike 14" Burr Oak NW 16.64
" " " 16" " " E&E 43.98
- mess east to L 1/4 12 (1947)

- 5-20-1970 found C/M - Nail in stump & nail in walnut SW.
set 5/8 x 22" round-notch bridge bolt south - 2' W N-S fence 90.0

Oconee section corner 11-12-13-14 (2)

Govt Notes on Knook 1954 #841205

80.00 Set post to corner to sections 11-12-13-14

Bur Oak 12 S 71 W 30.0

" " 12 N 74 W 95

" " 14 N 80 E 60

" " 13 S 29 E 70

9/7/90 FD CIM IN GOOD COND ON SOUTHERLY SHOULDER OF PRIVATE DRIVE INTO FARM YARD ON SOUTH SIDE C.R. # 12 RUNNING WESTERLY TO SANDY POINT RD'S

℄ PRIVATE DRIVE N.W. 17'

℄ C.R. # 12 ON CURVE NORTH 12.7' NOT @ RIGHT ∠s TO CURVE