#841209

1/4 Corner Center 12 Oronoco 108-14.

No record Kerr Book 88 Page 27

8-1964 J Kerr run line from S 1/4 12 a known corner north. after correcting line to S 1/4 1 (true E-W only) set rod as 1/16 north of S 1/4 12 at 1320 and 3/4" rod at 2640 as true N-S 1/4 line only. (Not Corner

Disc in center east wood culvert headwall. NW 76.0

" " 9" burr oak W 73.5

Corner in (northerly?) probably N.E.ly shoulder County black top road. at 1/16 1320' north of S 1/4 12 set rod in west ditch of road also rods for property corners of parcel north.

Station 1900 from ¼ 12-13 C/L corrected for true line used to locate house. 8-5-64 — J.J Kerr notes

92.0 AZ 23° 20' to NW corner house.
68.17 AZ 57°25' to SW corner house.

house shape to identify proper house SW corner 0.00 E 26.0
N 24.0 S W 4.0 N 27.25 W 22.0 S 52'
NW corner would be 37' ± E of line at 90° N-S corrected line
SW " " " 57' ± E " " " "
also 5-28-68 house location P 28 B 88

T. Taylor could have something here at Center 12, see Certificate of Survey in file dated 5-19-1976

Called T. Taylor on Feb. 21, 1979 Talked To Cedric Schutz and he said that no mony was set at the Center of 12 also N-S ¼ run from S ¼ To N ¼ does not hit J. Kerr ~~shed~~ rod, rod at or near Center 12
2640

12-1999

"841209" Cen 12 | Oronoco 108-14

Vince Fangman computed center at intersecting quarter lines.