5-15-74 Set G.L.M. over W Frasers original 1½" pipe ①
#841505

section corner. 15-16-21-22. Oronoco 108-14
11-1872 Hunter P211 No 219 S 15 C Horton.
found corner standing in mound. NW BT standing, other
B Tree stumps. 18" elm. N 16° W 194 lks., 3 other B tree
stumps varied in govt distance 2 to 6 links but did not
mone corner as found.
-16 each set stake N & L 19.98 ½ & took B tree
6" burroak. S 72° E 78 lks - 8" S. oak. N 63¼ E 52 lks.
above ⅛ or 7.3 chs to south bank river.

11-1894. W Fraser P555 No 512 S 22. Al. Krouse.
found stake tested stump of NW B tree only remaining evidence.
bearing tree to pipe W E = 12" elm N 36° E 7½ lks
-over-

-16 east (Captain 11-1895) found stake set P 211
also. both bearing trees taken at that time M & L 19.88
- meas south. 39.74 to iron stake driven
M & L. (2622.84' drove iron stake as section corner.

1913 Williams & others, big survey, P 215 B Middle page
found iron stake P 555 total to 1/4 18 20 7913.8'
- meas west. 2637.9 to stake set as 1/4 16-21 at 1/3
distance NE 21 to 1/4 17-20 - took 3 B trees -
24" box elder N 71°W 52.5' — 36" elm N 30°E 45' — 8" elm S 57°30'E 27.6

1916 Power Dam survey - shows iron stake - pipe

1966± McGhie runs lines from east over 1/4 fence corner of fence south
set steel fence post on line and double ditches - gone 4-15-74

4-15-1974 Co. Surv. found 1½" iron pipe — down 8"/10" —
drove it down & set CIM over it with junk & pipes set
around it. — ± 100' So. of River & ± 50' N. of Sharp bank Soil

#2

Sec Corner 15-16-21-22 Oronoco 108-14

#841505

1974 Drove ½" pipes in all 4 directions (up 6")

R.P.'s

W Fraser's Bearing tree (40" Elm) N 36°E 5'
60 d 5 W. side 8" Boxelder N.W. 180'

Power Dam Survey (1916) Found Iron pipe
Meas. west 2642

Gov't Waters Mr. Kenrick 1859 (2)

80.00 Set post for corner to section

15-16-21-22

Bur Oak 12 S 28 W 14c

Elm 12 W 14 W 200

Locust 8 S 67 E 120