7-2-1964. set CIM over 3/4" x 12" iron. (1)
#841606

1/4 corner 16-17 Oronoco 108-14.
5-1892 Thos Fraser P485 No 462 L8 Huntzinger
found large square topped limestone as 1/4 corner covered
by Mr Nichols as carefully & accurately preserved for
years also large boulder stone north of 1/4 16-17
as 1/16 corner 20.04 1/2 north toward NE 17.

4-1904. W Fraser P76B L17 Grant alias Huntzinger Forbes,
found stone as corner. P 485 as described.

1913 Williams & others by survey P 215 Top middle of page
- Irei-

found square topped stone as described P 485 agreed by Mr Stolp and others as accepted corner.

- Meas south 1½ miles to ∠E 20 7846.7'

- 1/16 South corner on river. - set point 30.3' E and another 20' E on line.

1916 Power Dam Survey Shows Stone in place meas. S. 26154 meas. N. 26564

7-1964. J Kerr. K. Ewds (1977 2 PS) Fe. Cor. Fe. S.W. 5 46.3 30.0 Corner falls Road. S. of ¼ E-W. 3' So. of ℄

found stone easily. set C/M over ¾" x 12" iron.

Spud in power pole. NE 42.9.

" tele pole. SW 80.5

center easterly of 2 pines. WSW 117.6.

narrow tooth on W side 14" burroak N 68.95.

tele pole in field north on fence balk. on line. 2' east main pole line.

meas. 10" deep 8-17-1977

4-1969 Meas North - 1/16 bgdy of record in cult field. 2649.' to ℄ road. R 2645.28 stone to stone actual

Osmose 1/4 corner 16-17 (25)
#8416Ob
Gov't Notes mon. known 1954
40.00 Set 1/4 Section post
Jack Oak 8 S 81 W 60
Jack Oak 7 W 75 L 153