6-26-1964 set C/M over 2"x20" pipe - orig stone by side section corner. 17-18-19-20 Aronoco 108-14 #841905

7-1912 Ch Larson. P196B L20. J Clason.
found hole of old stake, set boulder with stake in top in mound of stones.
- Meas 39.89 last found limestone in mound.
- Meas south 39.80 to stake set M & L. (2626.8)

---

boulder found and used in many property surveys.
- 6-1964 found stone with cross, glass etc. set C/M over 2"x20" pipe boulder by its side.
- 120D in 30" burr oak. N 27.6. 27.62 Ma/Dat 77'
- over.

(1)

Dice in corner post W 31.08. 31.24 Mn/Dot 77
" " power pole NE 72.1. 72.12 Mn/Dot 77
corner lies in west ditch of road on curve of road running east & south, fairly center of both.
- corner lines with fence west.

1913 4 surveyors big survey P. 215 bottom, top 217 P219
found corner P 1968 parties did not think corner correct. midway between 4 Cor 18-19 & 17-20
run & meas line N¼ 20 to N¼ 19 5273.8' and ½ of 4 Cor 17-18 to 31-32
said nothing more of corner likely left as it lie took witness trees
1966 J Kerr meas west to help find N¼ 19 R 26 36.9.
see 11 4 18-19. will add notes when it is found. set Stake
also meas south & run line see corner south.
1913 P. 219. 4 P 2. ~~stake~~ stake set at S. 2632 N & S. 2636.9 E & W
S 40° 45' E 12"00 49.5' S 50° W 12"80 22.7.

#841705 (2)

Card # 2 17-18-19-20 Chronco 108-14.
5-3-92 Co surv found CIM - and point previously
set accurately & carefully from several corners from east.
ac 1/4 17-18 a point (rod & painted cross) in east black
top apron of North bound U.S. 52
- Meas carefully on transit line South to 17-18-19-20
CIM 2635.9 point used in 1913 survey 2632.0
On that survey it stated corner found. not useds but
no details only how used point was set. lots of bxp
in that survey.
Cor [illegible] [illegible] [illegible]
80.00 [illegible]
17-16-19-20
Bur Oak 7 S 59 W 96
Bur Oak 12 N 47 W 150
Bur Oak 10 N 31 E 213