X 5-8-1975 Set CIM over 3/8" rod by Meas from (1)
East & Line fence To East
section corner. 19-20-29-30 Aronco 108-14
#842005
8-1871 Hunter P 188 no 199 L 20 Godell.
corner gone. - "sunk" boulder in line old fences and
in center road fences.
- meas east 39.88 to point set M & L.

5-1899. R Fraser P642 no 578 L. 30 Ch Stevens.
could not find boulder. fences gone. and road changed 4 or 5 chs.
a typical R Fraser survey. no further mention of corner
7-1912 Ch Fassett P 196 B. L 30. found boulder 8 x 14 x 26. 39.50 N 39.88 E M & L
1913 4 surveyors by survey P 219. near top of page. & middle
meas. line 1/4 17-18 south. 3 miles. 15792
set iron rod at Midway point 7896' for section cor. - over.

and 5280' from. ¿E cor 20. which makes it 5264' north to NW cor 20. set at 2632 from ¼ 17-18 and midway N¼ 20 & N¼ 19. 2636.9. (No mention of boulder at NE Cor 19. which was in place.
— at ¿W 20 on setting iron found large boulder with stake on each side all set very recently (not of record) in recent survey Mr D Williams sent 2 men to dig for corner and found nothing. So figured stone and stake were faked. Iron line E W fence, & road.

8-1966. J Kerr meas NE 19 to ¿E 30. set 120 D in line fence east in transit line NE 19 over pipe in B top.
— 120 D 40.9 west of post with No Hunting sign on it. — W edge road. station 5254.7 or 2630.5 from pipe in B top..
— set 120 D on line on hilltop north at 1887.85 from B top pipe
" lies 32' west to no trespass post
" " 91.5 ¿W to center pp
¼6 fence meet at 1327. south pipe in B.T. Not prop fence.

Card #2. 19-20-29-30 Oronoco 108-14. (2)
5-4-1972 Co surv. found 120 D set 8-1966 on mear
and line from NW 20 mk 1/4 19-20 at 2624.2 then 2630.5
-also 120 D set some 5' S fence east in S road at 2632.0
from pipe set at 1/4 20-29 in 1960. - Pailin small tree 2608.3.
-dug with Tractor over 7' deep to sugar sand subsoil found road
full depth. stones 3 or 4 feet in diameter sorted from 3½ down
Corner hopelessly lost. will set at 2632 from east and.
7892.3 from 1/4 19-18 and same from 1/4 31-32. #842005
present 120 D from north 7890.6 or 1.7 north

5-6-1975 dug again with Tractor farther East - dug out
E. ½ of N-S road - did not find boulder by C. Larson nor the
iron set by 4-Surveyors in 1913 - will set Corner by meas.
from East and in line with fence To East.

5-8-75 Set C.I.M. on meas. and line Fence east.

R.P.'s Punch hole S. end 18" C.M.P. NNW 111.13'

C.S.D. in Cor. Fence post E. 34.94'

½" rod driven on N. side Fence (up 3") E 68.57'

Line Fence N-S on N. side road W. 32.7

Cor'd Notes to M. Kanick 1854

80.00 set post for corner to section

19-20-29-30 Erected mound with

trench. pits, charred stake, and

Osage Orange stubs at each

angle