9-30-77 Removed 1" x 36" rod and set a CIM over ⅝" x 12" rod in new blacktop.

#842006

4 corner. 19-20 Dronco 108-14.

9-1912 Ch Larson. P196B S 20 J Clasen.
set stake M & L 39.80. 2626.8 at least meas on plat
show equal distances, used to set center only.

1913 4 surveyors by survey P. 219 Middle page "at K"
set iron stake M & L 2632'
- meas east 2638.75 to center 20.

---

corner mon. pipe in center blacktop road by Co H Dept.

tele pole	NE	57.4
Cor fence post.	NW	52.5
Coast Geo Marker.	NE	67.92.

- over -

8-1966. J Kerr meas line NE cor 19 To 1/4 31-32.
station at pipe in road. 2624.2.
1935 Co H D B86 P78 found 12" round Conc mon marked
1/4 corner — R.P.'s USGS B.M. — N.E. 67.8
Cor. f. p. — S.E. 47.5 — Tel. p. N.W. 65.7

1946 B 142 P2. 3/4" reinf rod.
cross cut in iron fence post SE 50.01
cented @ C Geo BM. NE 67.92
corner fence post (old 45.58) NW new 52.5
Tel pole NE 57.4
Hut SE 81.95

5-31-77 Dug at pipe in ℄ Co Rd 12. Found pipe over 1" rod. Found 13" circular by 26" concrete monument 5½' deep leaning East (removed) Dug and found spot where it stood which was 2.0 E and 1.5 So. of the pipe. Dug 3' 5' [P-S] . Set a 1"x36" rod back at pipe location. Corner in ℄ roads pipe E-W-S and 11' W of ℄ rd N.
RPs Plastic cap in top of conc post NW 53.62
Pinnacle E end CMP in road So SE 35.60 Pinnacle W end CMP in road So SW 24.35
Rebar mark NE 67.96

Orange 1/4 corner 19-20 #842006 (Z)
Gulf Watts Mt. Kimball
40.00 Set 1/4 section post in mound
with trench, pits, charcoal stake &
Osage Orange Scribs W. E. & S. W.

"842006" 1/4 COR 19-20 108-14 ORSNOCO 8-19-99
FOUND CIM DOWN 0.2' IN BLACKTOP EPB MC MR
CSAH 12 IN GOOD CONDITION. CORNER FALLS IN
℄ CSAH 12 + 2½' W ℄ 50TH AVE NW SOUTH.
SET 1" SQ PIPE W/CAP AS REF ON W SHOULDER
50TH AVE NW 150' S ℄ CSAH 12 + 7½' W
℄ 50TH AVE NW. DOWN 0.7'.

TO REF PIPE
&RT STREBBING TO 1/4 COR 19-20
80°58'50" dh01 82°18'22" dh02
0°05'16" dh01 01°24'50" dh01
80°53'34" 80°53'32"

TO STREBBING
VA 87°32'07" dv08
SLOPE 367.665 HOR 367.325

TO 1/4 COR 19-20 108-14
VA 90°07'01" dv08
SLOPE 149.92 HOR 149.92

&RT RED LIGHT TOP OF RADIO TOWER SW TO
1/4 COR 19-20
134°59'28" dh02 136°10'25" dh00
0°01'53" dh01 01°12'55" dh01
134°57'35" 134°57'30"