6-26-1964 set CIM one 3/4" x 12" rod & turn Lastone
4-21-1975 - Jug fourteen N.E.W., - did not find anything else except old Corp stake (#8 bent)
section corner. 20-21-28-29. Aronoco 108-14. (1)
8-1871 Perry by Hunter P188 No 199 L 20. Godell.
found stake in mound and pits. #84205
- meas west 39.88 (2632.08' To corner reset M & L.

7-1912 Ch Larson. P196 B L 20. J Clasen.
found limestone did not prove corner.
- meas West 39.88 to stake set M & L.

1913 Williams & others, by survey P215 top middle of page.
run line from 1/4 16-17 south found oak stake. on previous
survey a boulder covered by. 2 Rds chairman of town board.
as corner was in place. stone now gone but impression-over.

of boulder still plain. found stake in bottom of impression.
Meas of 1½ miles. 7846.7. or 26136 as ⅓ dist.
- No desc. of corner but likely reset boulder found later years.
- Meas west to N & L 40.00 iron stake.
- Plat shows Stone 50' N and South of the corner.

4-1960 J Kerr B78 P75. F Koenig.
found boulder easily in maze of brush at fence corner at intersection of 4 way fences. - thorn apple & briars all over.
- Meas direct to ℄ road at SW 20 & line fence running E 5267.0. - set ¾" pipe N & L as S¼ 20. 2.85' south E to fence.

6-1964 set C/N over ¾" x 12" rod & limestones etc
- corner lies 2.5' SE of corner post.
- ⅜" x 4' rod up. 2' south .5
- Meas north to C/N. 2613.8 R. 1913 2615.6.

Section Corner 20-21-28-29 Onondaga 108-14

#842105

9-21-1977 Mn/Dot RP's:

CN&D up 2.0' on North side 4" Chokecherry NE 28.06

CN&D up 0.5 on West side Fence post NNW 11.02

CN&D up 0.5 on West side Corner Fence post NW 2.05

3/8" x 4' rod (up 2') South .45'

R/W post up 3' on NW side CIM

Corner 2' South of E-W Fence and 1' East of N-S fence

Gov't Notes Mn. Km. K 105.11

80.00 Set post by agreement to section 20-21-28-29

Erected mound with bearing trees 28-29

charred stake and Orange Orangite Stakes at each angle