#842606

4-28-1969 set CIN over 5/8" x 12" rod M & L.
6-1981 Corner re established on 1/4 line from W. & N-S Sec. line

1/4 corner 26-27 Oronoco 108-14
See field BK 14 P. 21 Sec. 27 Survey T.H. 1884
6-1881 Hunter unrecorded P123 No 371 old field book
set center section found in later surveys. for J O Blake.
no mention or description or mear of corner.

6-1884 Hunter P390 No 381 S27. C R Vorman.
found stake set in survey S26 1881.
used to set center Sec 27.

6-1934 J Kerr B 9. P 11613.
run N-S sec line set part of Concrete post M & L.
at 2605 - later a slope mear south of above corner
found to have been figured incorrectly so corner set - over.

although never found was incorrect. would have come in north ditch (dug for corner. 1967.
- 1967 reran & meas line (some of it rough) carefully. meas now 5 23 25.7 37.7 instead of 5210. (mistake found in old notes. set C/N. over iron M&L 26 17 18.85.
- corner now. 4' south north edge of traveled road.
- fence running north nearly 20' east.
- fence (new) running south leys 2' east of corner.
- ½"x24" pipe up 12" under fence south 49.0
- top half of old concrete post, up 4", 28" long set in ground. just south of E-W road fence N 39.7
- Nail in hub on 30" cottonwood SW 42.67.
- Rice in small tele pole. NW 51.7

Oronoco 1/4 corner 26-27 #842606 (2)

Gov't W-tns M. Kavanagh 1854

40.00 Set 1/4 section post in mound with trench, pits, charred stake & orange Orange stakes at each angle

6-19-81, 1/4 Cor 26-27: Dug with backhoe and found nothing. Dug from J. Ken monument 9' East & from 1' South to 7' South. There was a large tree stump beneath the last road which had root running all over the hole.

6-22-81, 1/4 Cor 26-27: Dug further with backhoe & covered line from West & up to 23' East of fence North (found nothing)

6-24-81 Set a CIM on a 1/2" x 18" rod @ the intersection of the E-W 1/4 line Sec. 27 and the E. line Sec. 27. Corner falls 2' North & E-W road a curve and 2' West of fence South and 18' West of fence posts running North.

RP: CSD in top cor. post South 31.22 Corner is of Corner
CSD in 30" cottonwood SW 40.18 New CIM 3.47 So & .08 E
" " PP #12 NW 53.78 of Ken (removed)

Property Corner West of 1/16 W of Center Sec. 27