6-8-77 Set 3/8" x 11" square headed bridge bolt M&L
11-8-77 Set CIM over bolt.

#843205
①

section corner south 31-32 Oronoco 108-14.
north 5-6 Cascade. 107-14.
6-7874 Hunter P229 No 232. & 6. Colby.
Corner gone., now evidence or knowledge of corner. meas from N 1/4 6 to N 1/4 5 80 chs set point at 40 chs.
- meas 1/4 31-32 (no dec.) to 1/4 5-6 - 79.70 which was exact point. meas ℄ 40 chs north and 39.70 31.70 chs S.
- set stone 4x7x18. at that inters ℄ meas.
- 16 west set temp point M & L 20.00. line south
- south set corner 16.25 chs as per Colby deed then west 5 chs then south 1.66 2/3 then west 15 chs. for property survey. - 23.45 bal of half mile 39.70.

6-1917. J Kerr P270 B & S 5 & 6 Chas Young.
Could find no trace of Hunters stone so reset
corner with stone on line & midway between N 1/4 6 and
N 1/4 5 2639.5 as Hunter had done only put on range line.
-16 south set stake at 1314.5 - then 1320 to stake
set as 1/4 5 - 6. total 1/2 mile south 2634.5 Hunter 2620.2

6-8-77 Set square headed 5/8" x 11" bolt midway and on line
between the 1/4 corner East and West.
R.P.'s: Punch mark in lug at top W. end of C.M.P. in rd N NW 32.62
Punch mark in lug at top E. end of C.M.P in rd N NE 38.85
Corner 1/2' N & E-W road and 5' W & of road N.

N 5-6 107-14 Cascade
S 31-32 108-14 Oronoco

#343205
(2)

5-13-98

Set Ref pipe 17' West of ℄ 50th Ave & 62½' North of ℄ CR#14

T @ Ref pipe

X R+PK in pp #45668 (pole on So side CR#14 SE of Corner to S 31-32)

∡ = 13°41'54" Hor = 61.895

5-13-98
mw EA 23

"843205" D

✓N-5-6 107-14 Cascade

S 31-32 108-14 Orinoco

Set Ref pipe 17' west of ℄ 50th Ave
& 62 1/2' North of ℄ CR #14

T@ Ref pipe

Ret P.K. in pp #45668 (pole on So side
CR #14 SE of Corner to N 5-6

13° 44' 12" dh01 15° 08' 48 dh03
0° 02 17" dh00 1° 26 55 dh01
13° 41' 55" 13° 41' 53 ∠ = 13° 41' 54"

To N-5-6 (CIM 1 1/2' No ℄ CR #14)
VA 90° 11' 45 dvor

Slope 61.895 thr 61.895

Tie 62.3 South to ℄ CR #14

8-18-98

N SEC COR 5-6 CASCADE 107-14

S SEC COR 31-32 ORONOCO 108-14 "843205"

E

SET PK NAIL @ SURFACE 1½' N & CR #14

7' W & 50TH AVE NW

5-25-99

"843205" S Sec Cor 31-32 108-14

Found PK Nail @ Surface Set By Survey

Crews. Set 1" SQ Pipe W/ Cap @ Surface,

Corner Falls 1½' N of ℄ CR 14, 5½'

W of ℄ Intersection 30th Ave NW.