#843209

1/4 Corner Center 32 Cronoco 108=14

5-1873 Hunter P224 No 227 S 32 R Williams, A Hannon.
set marked stake with small stones around bottom
at true intersections.
- North set stake for prop corner at 9.91 (654.06' then
set 1/16 corner N&L 19.95 1/2 (1317.03' a sandstone
6 x 10 x 18 for line east. also set boulders & stakes west & 9.91 at 440' and 880' on 320'

5-1874 Hunter P249 No 250 S 32 A Moulton, Peters
found stone set P224.
set stakes east for lines in S 1/2 of SE 1/4 32. temp at
397 1/4 chen 16.00 on N&L chen 9.98 5/8 chen 998 5/8
total or 1318.4 N&L.

- ons.

11-1912. Dwilliams. P186B NE¼ 32, NW¼ 33 J Rater.
found stone with stake beside it a boulder
-16 east found stone with stake beside it M&L. 1318.18.
avered by Mr. D. Clark that he helped surveyor set it.
-16 north meas on plat ¼ 1317.5. no deed ¼ corner

1966 J Kerr. dug some in area no probes found small stone north ¼ corner post set rod by stone and used as zero for line north - station of fence north. 651' R654'
-found 1/16 stone at 1315.4 from rod. - stone north to direct line between section corners as used. 1316.05. R1317.03.
- line from rod over 1/16 stone (30' ⊙ west) came at sta 2629.6 from NE 32 - M&L was 2628.65 - rod in place now 2629.6 from NE32
If Hunters meas of N line 32 shows W½ 3.3' shorter than E½
and Williams showed 1317.5 from center to 1/16 stone north this center should go east and south some.

#843209 (2)

Card # 2 Center 32 Oroco 108-14.

7-22-70 Co surv. dug complete area arround corner post found no further evidence of stake or other stones, stone 6x7x16 likely one set de corner very near corner post.
- Meas east to find 1/16 stone and check property fence.
- found 1/16 stone small, pointed vertical 6x6x10 with some 15 pces of small stone arround it, no where else. Corner post a large angle steel concreted base 12" now 18" deep much fill arround corner at 1/16 from field slope east.
- heavy angle brace also concreted in meas from stone to brace 1.3' west to west edge brace
.7' north to north edge brace
set 1¼" pipe 3.5' long on stone pipe up 1.3' (may change to shorter pipe later.) shoulder.
as 1/16 corner east of center

over.

after meas set 1 1/4" x 4' pipe at center with stones on 2 sides of pipe, west & south. Placed pipe on exact old line found rod. and 1.1' south making 1316.5 to 1/16 stone north R "H" 1317.03
then 1316.05 to section line south
- meas east to 1/16 stone now. 1317.9 R 1318.18 williams.

Meas to fence south from 1/4 line fence - east very near R 262.52
Note as rod now in place at N 1/4 32 on projected line from temp rod at center (now line of pipe) and 1/16 stone decided to leave as is and set C I M in to place. at 1/4 29-32 which meas as follows. east 2629.6 R 2626.8, west 2627.7 R 2623.5
south to 1/16 stone 1316.05 R 1317.03 then 1316.5 to center as set.

4-28-72 Co surv ran aerial from 1/4 31-32 east on 18' ⓢ north.
- Meas from Center 32 east - found 1/16 pipe at 1318.25 -
Center 21.65 N. 1/16 23.26 N stone found at 1/4 32-33 25.66 N.
set C I M over 5/8 x 12" iron east of stone found at 1317.0 as final corner.
all line within reason figured at will - will accept center as is - final.
018 So line

Card # 3 Center 32 Oronoco 108-14. (3)

7-1-1902 R. Fraser old fieldbook # 10 P50. albert clason, found stake with stone around as given in previous survey by Hunter - Meas N to 1/16 2 stone found. 1 lkk short. & set 2 boulders one on top of the other) R Hunter 1317.03. (final meas 7-22-70 1316.5) #843209 ran line from boulder found at 1/4 31-32 over center as found projected east and 1/4 32-33 pointed boulder set on this line. Geo Clark Chainman.

4-1972 line indicated center should be south .18' and pipe at 1/16 should be S. .48' and to be M & L pipe meet act. 1318.25 pipe east 1317.0 or go west .62' land sharp. and on spot. must Tap before changing 1/16 pipe. only record east 4 center to 1/16. 1912 1318.18 - 1902 near full 20 ch.