#843309 (1)

1/4 Corner Center 33 Aroroco 108-14

6- 1867. H E Horton P85 No 131. SE 1/4 28, NE 1/4 33, NW 1/4 34.

Corner used or shown. - set 1/16 North 19.90 (1313.4'

11- 1912. D. Williams P186B NE 1/4 32. NW 1/4 33 J Reitz. D Clark.

found stone boulder by corner post, buried, which was accepted evidently as corner stone.

found 1/16 fence north at 1313.5 south of 1/4 28-33 and stone at 2640. south of 1/4 corner.

Meas from stone south to S 1/4 33 2614' short 26' all in south 1/2. -

searched and found stake near post sign 15' north.

Let nothing. as did not finish survey. over.

7-1902. Robt Fraser old fieldbook #10 page 52.
at I (center 33) drove oak stake. S33 Burt Clason.
at intersection of 1/4 lines, the stake came in line of fence
N & S but a rod or there about north of fence running
east, Hunters meas of "B" "I" chord 20 lks (13.20'
- states that "B" "I" chord 15 lks 9.90' 2630.1 (2626.8
No Hunter survey of sec 33 can be found.
stake set may have been one found by D Williams.
15 feet and 1 rod there about stood similar.

4/6/90 FD J. KERR PIPE N 1/2 EAST OF FENCE INTERSECTION
AS CALLED FOR ON CARD

Use intersecting lines! Kerr pipe set by doubling 1/4 Fe
north and on line from his N1/4 (now moved west)
and the CHD rod at S1/4 (now CIM over stone)

Card # 2. Center 33 Oronoco 10S-14W #843309 (2)
10-24-1967 JKerr B96 P63-6 REA N-S 1/4 line?
Could not find 1/4 28-33 after meas from west section
corner to reset corner M&L. 2624.05 mile 5248.1.
- Meas S to 1/16 fence running west 1318.3. so set
1" Pipe at Center 33 at 2636.6 and on line of S1/4 33.
found by CoH&D RPs and 1/4 28-33 as reset. this iron
fell. 8.7' north of fence running east and east of fence 2.0'±
did not measure entire mile but line should corner post
of 1/16 fence running west should be 4.3 further east to line up
with 1/4 corner - Offset to S line S1/4 30' Chaty Co P 30.3 1/16 on P 29.0
and CIM set at 1/4 28-33 34.45. which is now 2.9 further
west. so final would be 31.55 not 34.45 1/16 now 1.12' E of post.

Mr. Gordon Fuchs says enter fence running east moved by court

4-27+28-1972. Meas from E 1/4 33 north.

found fence east at center 33 at 2628 — 329.0

found fence west at 329.55 point 2957 — 1325.

found fence west at 1/16 S of 1/4 28-33 3953 — 1324.7

found C/M set by J Kerr. 5277.7

As section corner at 28-29-32-33 moved 2.0' S. 3'S.

This meas moved shorten very little.

" J. Kerr meas 4 2636.8 north To C/M. don't jib with.

2649.7 - 8.7 or 2641.0 1972 meas.

Note west 1/4 now found and posting. C/M on line 4 stone

East 1/4 now C/M set by D Williams set corner M & L.

Must run aerial between 1/4 corners. likely more nor 1.45 west.

and adjust to true line" court or no court."