9-27-1966. set C/M over 1" pipe packed in stones

section corner. south 33-34 Oronoco 108-14

north 3-4 Cascade 107-14

#843405

10-1913 D Williams. P240 B 34. J A Clason.

found no corner and doubtful it set permanent

corner. used point on town line 1/2 way between SE34

and SW 33 5275.6 or 2637.8 east & west

to respective 1/4 corners. Meas north 2637.6 M&L.

---

stone used as corner Numerous surveys Co Hwy Dept

covered corner deep. In 1950 (ground frozen) dug over

4' deep. all RRs graded out but one. found stone set

pipe riser.

9-1966. set C/M in black top over 1" pipe & stones.

-over-

- drill hole in stone ledge (old R.R.) now a lead slug set in renewed hole. N 46°15'W 85.65
- County disc in tele pole. SE 35.9
- " " " power pole. NW 47.68
- 2x2 hub & disc under N road fence. NE 53.75
  a 1/2" rod may have been driven by 2x2
- no fence south - fence north in mass of thick brush corner at least 10' west of corner

---

11-1916 J Kerr P252B by survey. corner gone.
set midway betw N1/4 4 & N1/4 3 2639.5 and on Range line.
set R.P. on extreme NW cor culv headwall N 89°50'W 113.4'
and N 46°15'W drill hole in rock face. 5' N of SW cor Rockledge 86.7'
Meas West B310 2639.11 R2637.8 see S1/4 31.
Meas East B310 2637.88

Card # 2. south 33-34 Aronoco 10 8-14. (2)
North 3-4 Cascade 10 7-14. #843405
9-2-1902 Robt Fraser old fieldbook # 10 pag. 53 & 33.
at "D" set temporary stake coned find nothing at either. Bent Clacor.
& 33-34 or 1/4 33-34 dug considerable H & F gladed out.
Meas from. SW ~~32~~ 33 stone boulder placed mer. stake found.
east to SW ~~34~~ SE 34 a stone found described in survey Sec 2 107-14
found meas 4 X 39.98 3/4 (2639.18 so temp point set
at 1/2 total or 5278.36, "D" came in about middle of road.
in south track and east of fence 15 lks. (9.9').
1916 J Kerr. 2528 found Midway meas between 1/4 corners.
S 1/4 33 and S 1/4 34 To be 2639.5
(1991) C.H.D. set 1"Sq Pipe w/cap. Referenced Top center TV Tower
on white house (not antenna) Turned & Lt over →

62° 12'50" a dist. of 77.11' to Corner.

6-14-93 Set 1" Sq Pipe w/cap as corner. The corner falls in ℄ E-W CR #14 ℄ 3' East of Eyeball line North of old bulkhead.