Note: This 1/4 Cor. set by R.F. probably incorrect should have honored fence To N & S (RWS)

1/4 Corner South 1/4 35 Dronaco 108-14.
North 1/4 2 Cascade 109-14 (1)
See field BK 5 R3-20
6-1900 Robt Fraser P649 near Bot page No. 582 #843504
corner gone set boulder stone 6x6x10 M&L. 39.68.
(2618.88' it came about 10 lks east of fence N & S. and
S 20° W 34 lks to corner post on south side of road.
used corner only for survey line south (no meas S).

1938 Co Hwy Dept. Sta 7855.7. Meas east 2618.1
R 2618.88
1/2" pipe in blacktop.
Spad in power pole SE 92.0
1/2" rod. S. 53.0
Triple brook S. 53.0 - 18" brook SE 81.5 B95 P2
- over -

1965 RPs now 1" pipe. B.3 10

Disc in power pole. N.E. 79.33

" " " " S.E. 91.97

Mean east 2616.61. To ℄ 35-36.

Power Dam Survey (1916) used N-S fence location

Mles. East 2626.0 & West 2602.0

4-24-1979 (1979 Remon. Book P. 41) Shot ½" pipe in ℄ road and 10' E of fc. North & South

6-10-1980 (1980 Remon. Bk) S¼ Cor 35: Dug out ½" pipe. It was not set over anything. Dug from pipe West for 14' by ragged average of 4' wide. The old road was 4' to 4½' deep and on clay. Found spot where someone had dug centered 9' West & Slightly North of the pipe. There diggings beneath old road. It was only 1½' to clay. Pipe RPs } South 10.98 East 5.05

1/4 CORNER S 1/4 35 ORONOCO 108-14 (#842504)
N 1/4 2 CASCADE 107-14 (2)

8/11/58 John Kerr County Surveyor (bk 73, page 60) Found references in stumps of trees marked in 1938 when we found original stone as set by Wm C. Fraser in 1900. Drove 1/2" pipe thru blacktop as 1/4 corner. measured approx ~~2640~~ 2570' south to 1 1/4" pipe in the fence at the center 2. Surveyed parcel 132' E-W by 330' N-S in NW Corner of NW 1/4 section 2.

10/21/92 County Surveyor set 1/2" iron @ 600d Spike set by CHO set from trans. L ties and checked by us. (This is CSAH 14 PI ↗

10/27/92 County Surveyor set C.I.C. 1pc over 1/2" rod corner falls 4' southerly of shoulder edge of C.R. #14 on curve. cont →

10/27/92 Cont. the P.I. ~~corner~~ lines with
& further East. & 10' west of fence
line south Rp's
& CR #14 on curve North 28½'
Spud in P.P. # 33678 SE 108.25'
& driveway South, East 74½'

Set N¼ Cor 2 19.35' East and on line to
N1-2 after N1-2 checked

6/11/93 Set C.I.C/P2 as Corner an South shoulder of
CR #14 @ Sod line the corner is 19.35' East on Sec
line from P.I. Set in 1992