X Wire F. set 3/4 pipe 3-18-85 — #8436025 Cord^a 1

section corner. south 35-36 Oronoco 108-14.
north 1-2 Cascade 107-14.
4-1875 Hunter P270 No 268 $1 A. Cowasko.
found old corner past 50 links north of south road
fence which Mr J Klee avers orig corner stood,
the adjoining land prompted by said Mr Klee.
-16 south set stake at 19.39 = 1279.74 then 20.08 1315.28 to W 1/4 1.

1-1900 Robt Fraser P649 bottom page No 582 4 sec.
found old post mentioned by Hunter. but could find no
remains of corner past 50 lks north as considerable
wash-in was present. south fence could be 4' further south
— over —

Book 95 p.2 (Co. H.D with J. Kerr) 1938 2620.03 E. Then 2618.77 To Twp Cor.

Co Hwy Dept. set iron 3/4" x 3' pipe. Hub NE 100' and tree RP 75.2' apart
Lp 18" blazed ash. N 69.6

1965 R.P.'s B310 - 3/4" reinf. rod.

S Dec	tele pole. see S 34-35		S 34-35	B 310 1965
"	power "	NE	~~47.04~~	46.54
"	~~power~~ pole "	NW	~~37.31~~	36.93
"		S S W	~~30.99~~	63.76
	some west of center road south. tele pole	SE		46.56

B95 P2. Co H D. 1938 found old stake hole. with boulder above.
set 3/4 x 3' galv pipe in place of stake. Hub NE 100' - 15" Ash Tree
Sta 52 + 37.6 from Twp' cor. N. 69.6
2617.34 west To N.1/4 Z.
2620.03 East To N.1/4 1

1965 Co H D B310 3/4" rod. (assumed) set=
Meas west 2616.61 To S 1/4 35
Meas east 2619.61 To S 1/4 36

Power Dam Survey (1916) Found stake Meas. East 2626.6
R.D. = Az. East 89°50' / Az. West 90°01' — West 2626.0

South sec. Cor. 35-36 Oronoco 108-14 Card #2
North sec. Cor. 1-2 Cascade 107-14 #843605

1972 MB&B. tied out the County Highway Dept
3/4" x 3' pipe

R.P's Nail & disc. in tele pole N.E 46.52'
Nail & disc. in tele. pole N.W. 36.95'
Crossed Nails in P.P. S.W. 63.36'
Nail & disc. in Brace Post S.E. 46.48'

4-24-1979 Shot ½" rod (1979 Corner Book P. 41)

6-4-1980 Co Surv - Dug with backhoe at location of ½" iron rod. (± 5' N-S x 6' E-W with E. edge of hole about 1' E. of iron rod) found 2" x 2" stub nearly over ¾ pipe set by J. Kerr 1938. Pipe was surrounded with pieces of stones. Top of Pipe 4.4' deep from Ot. Road

dug To clean Soil about 6' deep. Found round dark Spot in light colored Soil about 3' North and 4' West of Kerr's pipe which could have been post hole of post found by T.H 1875. Dark spot about 8" dia. and Tapered To bottom. only a few inches was showing in light colored Soil. Probably very bottom part of post hole. Then dug with Tractor 50 lks (55 ft) South in So Rd ditch for old Corner post found by T.H 1875 and by R.E. 1900. found 6" dia. round dark spot which Tapered To small spot only running only a few inches deep as ditch was cut slightly from orig. ground level. This spot Matched real close (33.2') South of other dark spot.

1/2 rod { 8.59 E / 8.17 S Mark 5.78 W and 1.6 N of 1/2 rod { 12.42 E / 10.6 S Pipe 1.3 South & .35 East of 1/2 rod { 8.37 E / 6.83 So

1980 Remon BK, Page 55

1/16 South 6-4-1980 (1980 Remon BK, Page 55) Dug To cover probated Nuntin measure and line from 1/4 Cor 1-2 to Rock Corner and the ~~road~~ round mark found at N1-2 Road in cut. Only trace of black dirt. Found only single piece of stone appx 169' N of & 14' E line from "Old Kuebler" to 1/2" rod at N1-2. Probably nothing

#843605 #3

South Sec. Cor. 35-36, Oronoco, 108-14
North Sec. Cor 1-2, Cascade, 107-14

3-19-1985 Vince Fangman found local R.P.s to pipe found 6-4-1980. Set 3/4" capped pipe as corner at pipe location. Found PK nail ±1.3 N. and ±.3 West (diagonal=1.38)

RP's: crossnail in pp SW 62.18
nail & disc ~~crossnail~~ in top sawed off PP NE 47.33
crossnail in telephone pole SE 45.35

Set corner at this location at instruction of county surveyor

(1991) C.H.D. took Reference to Top flashing light on Radio Tower SW. Set 1" sq pipe w/cap. & Rt 147°35 33 For dist 266.10 to corner

6-11-93 Set 1" Sq Pipe w/cap as corner. The corner falls in ℄ C.R. #14 and in line of ℄ C.R. #133 running South.