X 12-4-1974 Set CIM over 1/4" x 12" iron rod on
5-21-1975 Section Line & Prorated Chas. Armstrong m's mt #1
changed 10-26-77 Set CIM deeper #850106 (1)

1/4 Corner 1-2 New Haven T08-15

6-1902 Ch Armstrong P54B L1 Wm Wright.

found old stake as corner

-16 east "3" set boulder 14x16x20 M&L 20.08. (1325.28'
with iron stake beneath boulder.

-16 center NW 1/4 "5" set limestone at true inters.
lines. with granite boulder 5' west as witness corner
with witness mark on east side of stone.

-16 north "2" iron stake shown on plat at
19.97 1/2 (1318.5' M&L used for line east.

(witness boulder to center NW 1/4) size 5x11x14.

over

Orig. Gov't Notes: John Cushing - Dept. Surv. June 1854

40.00 ch. set 1/4 Sec. Post, raised Mound with Trench as per instructions & drove charred Stake.

80.00 ch. intersect Standard Parallel No. 3 - 11.15 ch East of 1/4 Post of Sec. 36 - 109-15

Set Post To Sec. 1 & 2

12-9-1974 Co. Surv.

Set CIm over 3/4" rod on Section line & protected Chas. Armstrong Msmt N. & S.

Msmt North 2638.22 - C.H. 2636.7

Msmt South 2642.84 - C.H. 2641.32

R.P.'s - Co. Surv. Disk in P.P. - N.N.E. 6.35

Bolt in Guy Anchor 2' up West - 4.6'

fd - iron 1/16 Cor. North almost Lying flat and therefore Not reliable. our line would be 4.6' We & about 1.12' So. of iron as found.

Could <u>not</u> Locate Large boulder with iron under it - East.

(2)

¼ Corner 1-2 New Haven 108-15-
#850106

5-21-75 After finding Armstrong's N 1-2, reset C.I.M. set 12-74 over 5/8" x 12" rod on line and at prolated Armstrong measure. Corner lie in open field near a power pole in N-S line of power poles.
R.P.'s C.S.Disc in W. side pp. #631153 B NNW 4.27'
Bolt in guy anchor (up 1.5') WSW 12.85'

---

field Book in MotB office - Appx. date 1919 - See back of Blue Note book indicates found Nothing at this ¼ Cor. but found Stone at 1/16 South.

10-26-77 Found CIM set in 1975. Huge power pole R.P. now gone. Set a 16" CIM deep over the 5/8" x 12" rod all below plow line. Set 1" rod on the East shoulder of the North bound lane of T.H. 52 and turned an ∠ Left from M.H.D control point Crist to the ¼ Cor 1-2 of 77° 09' 40" for 982.62

RP's to 1" rod: Punch cross in top center East end of large concrete culvert. NW 22.08

℄ North lane T.H. 52 SW 28.87