1 ~~7-25-69 set CIM by line & mine~~ ~~map corner to N¼2~~
5-26-1975 - fd CA. Boulder - set short CIM over it removed Keil's CIM
section corner north 1-2 New Haven 108-15 Woodhull 6-1902 Ch Armstrong P546 S1 N.m.W right. #8S0107 #1
corner gone, relocated corner on range line at 1/3 distance N¼ S2 and NE cor. S1.
record 80.05 per mile actual 79.94.
set boulder 14x16x24 on line and 39.96 from N¼1 set M&L.
-16 east set temp point M&2 19.98
-16 south set iron rod M&L 19.97½. (1318.5'
-16 center NW¼ S1 set limestone 4x12x14 with witness stone, a granite boulder 5x11x14
-over-

5' west of true corner marked W.C. on east side.

---

6-1969 J Kerr. Meas line from random point at bisp corner west in center road. Later found bisp corner 4.3' east. Chainages given are corrected chainages.

| ℄ North ele | F south | F north. | 120 ℄ rod. | F north | F north. |
|---|---|---|---|---|---|
| 736.8 | 1375.5' | 2066.7. | 2641.66 | 3396.66 | 4627.66. |

- set 120 at double record of 2637.4 from random on. from true found bisp cor 5279.06. R 5274.8
120 less 18" east ℄ pole line L. in center road.

---

7-25-69. J Kerr after finding N 1/4 section 2. and having run line & meas from bisp corner dug 4'x5' hole to clay where corner must lie found rocking - set C/A1 over 1/2 x 2' rod. 2643.3 west to N 1/4 2 and 2641.75 east to N 1/4 1.- Corner lies 3' west ℄ power pole line south - 3' south center E-W road - 29.0 south to Tap cap in P.

#2

Section Corner N 1-2 New Haven 108-15

#850107

5-16-75 Found C.A.'s boulder (12"x14"x20") with six notches in side 5.75 E and 3.9' N of Kerr's C.I.M. Set 10" C.I.M. over stone with punk all around. Removed Kerr's C.I.M.

R.P.'s C.S.D. W. side power pole S. 32.76'
Top of telephone box W.S.W 121.3'
Center of huge Cottonwood S.S.E. 102'
Corner lies 2' N & E-W Twp road.

---

Field Book in Met B office – Appx. date 1919 – see back of Blue Notebook indicates Stone found 1½' deep in N. ditch of old Road

Ties given: S.E. To Tree in yard 106.0
S.W. To Pole (Tel.) 114.5

6-12-1854 Gov. Notes Cushing, Dep. Sur.
North between section 1 and 2.
80.00 Intersected Standard Parallel No. 2 11 ch.
15 lks east of quarter section post of 35. of township
township 109 North, Range 15 West of the 5th Meridian
and set post to sections 1 and 2.
Erected mound with trench and pit and drove charred
stake.