/ 10-6-71 set C/M ones org stones & RR spikes ①
#850305
section corner 3-4-9-10 New Haven 10 8-15.
12-1894 W F Fraser P556 No 513 S 10, 11, 14, 15.
alker, Campbell, Ackerman Stanke and others.
Mr & Cornwell and Mr Packer anered where and what corner stone coned be found and upon digging found stone as described in center crossroads.
- set limestones on 2 sides of stone as found.
-16 south. drove iron stake M & L 20 05 1/2. (1323.63'
to iron stake set M & L as 1/4 9-10.

10-6-71 Co surv. dug with tractor in center cross roads. found. 10 x 10 x 18 boulder with L stones on 2 sides

(over)

not very deep. 2'+ about 2' south center + roads.
set railroad spikes on North and south sides.
with C/M over stones etc.
- set iron rod on exact line at 992.45 for future use.
in surveying site of old school. Dist #80
described in Book Y P399 - Book 134 P362
55 rods 907.5 from 3-4-9-10 th S 165' E 132' N 165' W 132
another 2 rods added to east making 10 rods 165' square.
rod now 97' west NW cor school bldg. on line.
at 992.45 south of C/M at 3-4-9-10.
RP 3-4-9-10 1323.11 South to 1/16 corner in place Mon. see 1/4 9-10
47.0 NW to 40 in SW side huge Maple up 6'
36.91 SW to ○ in west end 18" gals road curb.
35.3 SE " " " east " " " " " "
43.43 SE to cone nail in knot up 4' NE side N State PP #35.
Corner 2' S center crossroads ± 1/16 South See 1/4 9-10

#850305 (2)

Sec. Corner 3-4-9-10 New Haven twp.

Gov. Notes- John Cushing- Aug. 10, 1854
80.00 Set post corner post of section 3-4-9-10
raised mound with trench as per imstructions and
droved charred stake.