#850307 (1)

¼ Cor. Section 3-4 New Haven Twp.

Gov. Notes- John Cushing, Dept. Sur.- 6-12-1854
West on true line between sect. 3-4. Var. 9°25'E
40.00 Set ¼ sec. post raised mound with trench
and pits as per instructions and drove charred stake

9-19-85, ¼ Cr 3-4: Dug from a point 6' South of the t.n. (set in line South & road south and & road west and 9½' north of fence running East) for 3½' East, 9½' West, and 8½' South. Found a limestone (dolomite but split) standing 6.5℄ West and 5.6℄ South (eyeball) of the t.n. Stone 5" thick by 17" long by 11" wide and pointed. Found no stake under stone. Drove a 3/4" re-rod at location stone stood (top



down 2'½) and dug stone in on West side of rod. We dug 2' to 2½' deep here. Condition at the East end of the hole only fair. Condition at the West end good. On line and prorated loc. 8.3± South and 5.3± West of t.n

10-1-85, ¼ Cor 3-4: Set a CIM over the iron previously set @ stone location. Corner in farm driveway and 5½' South of the ℄ of the main road running West and 6½' West of ℄ main road running South and 4' North of fence running East. Corner 33' South of tree row running West on the N. side of the road West (old road further West) and in about in line with a huge Maple to the east.

¼ Cor. 3-4 New Haven Twp #850307 (2)

10-1-85, ¼ Cor 3-4 cont;

RPs:

C.S.D. in (N side) RR Tie cor. post ESE 37.76

C.S.D. in (W side) NSP pp# 40 NNW 70.96

SW cor. perch Fdtn. (conc block) NE 77.17