7-15-1965 set C/M (down 12" in field) with 3/4"x18" rod below and remaining part of orig mon. north S. section corner NW cor S 6 Olmsted New Haven (1)
108-15.
#850607
& County west, Goodhue north.
9-1882 Hunter P 379 No 370 S 6. 2# Druck & others. Corner gone, also 1/4 cor S 36 109-16 and SE cor of S 36 and S 31 east. run line from NE 6 over N 1/4 6 and set at 80.06 as govt mear gave.
- record from twp corner west No S 1/4 36 109-16 (10.90
5-1900 R Fraser. P 672 No 597 S 6. J Deveney & others found square stone monument even with ground surface on north side of road. Mr J Brandly avers it is properly set corner.
- over.

6-1901 W Fraser P 6 B. S 6 Weckerling & others
found township corner monument.
- 16 east set stone & stake at 19.97 1/2 Then 19.91 1/2
- meas south 45.72 could be 45.92 Many points for lines east.

6-1929 J Kerr P 424 B S 6 H Zweifel.
found township monument in place.
east - 2633.5 to N 1/4 6 then 2626 to NE 6.

7-1965 J Kerr.
Run line in from NE 6 - found N 1/4 6 and 1/16 west.
dug twice for stone finally found about 16" of bottom of stone
in open field where road formerly was. set C/M with
top 12" down over 3/4" x 8" rod with remains of iron north of C/M.
RP. N-S fence - east 95.0 40 D in hub in burr elm AZ 278°35' 79.9.
E-W " North 18.0 40 D in hub in scraggly oak in rock island AZ 194.42' 104.4'

#850607 (2)

Section Cor. N.W. 6 108-15 New Haven

1989 Roger Brand Research of Dodge Co. Records.

Fd a Casper Maxson 1945 record (Marked stone Fd.)

Ties

Slippery Elm (no size given) S.W. in Stone Pile 118'

Twin Elm (No Size given) N.W. 80.2

Maxson also Surveyed for Corners on County line going South for two miles but no ties were given in this 1945 work.