9-10-76 Set CIM #850706 (1)

West 1/4 Corner section 7 108-15 New Haven
East 1/4 Corner section 12 108-16 Milton

Gov't Notes: witness trees

white oak N 26° E. 21 lks.
Black oak N 45° W 10 lks.

9-10-76 Doubled line and measure from W. 7-18 over 1/16 N. Found 8" x 8" x 15" boulder corner post in E-W fence line. Removed stone and set CIM over 1/2" x 2' rod as corner. Reset stone on S. side

Corner came 1.94 S and 1.30 E of computed location and 1.4 N of E-W fence and 115' W of NW¼-SE¼ Fence alongst E side of field N. of fence.

R.P.'s Spike & CSD NW side blazed 12" Br. Oak WSW 31.13
Spike & CSD in SW side blazed 15" Br. Oak SE 38.70
Spike & CSD in West side blazed 10" Br. Oak SSE ~~42.63~~
Found ½" pipe up 9" under E-W fence WSW ~~9.7~~

3-15-85 All Ties and Fence E-W Gone in Woods
Grubbing
New R.P.
Railroad Tie C.S.D. in Post East – 118.42'
Set Survey Marker Sign & Post 0.5' North of C.I.M.

#850706 (2)

West ¼ Cor. Sec. 7 New Haven Twp.

Gov. Notes- Ball, Dep. Sur. Oct. 1853
North between sections 7 and 12.
40.00 Set Quarter section post.
White Oak 6 in. N25E 21 lks.
Blk. Oak 6 in. N45W 10 lks.