L 10-22-71 set C IN over corner found. 4 cards #850805 (1)

section corner 7-8-17-18 New Haven. 108-15

12-1873 Hunter P 235 No 237 L 17 McDonald & others found stone in center road. tested witness trees, all but one still standing.

-16 south set stake N&L 20.00

-16 center NW¼ 17. set stake N&L 19.96 on E-W 1/16 line.

3-1892. J Fraser P471 No 452. L 18 P Kennedy. & others could not find corner, nor did not set it. Meas from N¼ 17 west to NW 18 and still set nothing.

7-1893 JF Fraser P524 No 489 L 18 P Gorman. found stone center road & remains of old stake P235

-over-

also stamps A. NW and SW B trees. – drove iron stake in place of old stake with stones on 2 sides of iron rod. – Meas west 40.04 to 1/4 9-18 relocated (a stone 3'8" x 2'4") and stone over iron.

19~~39~~. Co Hwy Dept. P3. assumed corner. B19/in winter.
Dec. 12" pine NW 36.7 – 12 ~~elm~~ Dec. Meas south 5273.75
SE 94.4

12-4-69. if corner assumed should be ignored, no fence east
no pine SE – unmarked 14" pine 6' south of fence west

1939 Co Hwy Dept B100 P3. boulder stone with stake on top
RP Spin SW corner barn NE 54.2 meas south 2632.5
Sp in Maple SW 66.7 " " 5268.1
Sp in elm SE 93.7
corner is PI A 0°16' RT going N sta. 79+01.9. fence west Tit 25'
79+00

#850805 (2)

Card # 2. section corner. 7-8-17-18 N. Haven 108-15
extra data on Co H D survey B191 1951-2 under survey
assumed corner. Sta B191- 129+33.3 a PI Δ 0° 16' rt
- Meas L. 5273.75 B191 - 5268.1 B100. going north
Disc 12" pine W 36.7. - Disc 12" elm SE 94.4.
64 ar.
apparent topo on fence west 129+31.0 36' L.
- Note seems corner station may be very near as fence
west about 2'± south of corner same as B100.
when corner used and found.

over.

B100 - CoHD 1939. found stone boulder slight mtg some topo as to corner

PP	26' right.	78+65	tele P.	26' left	78+05.
tree	29' left	78+79.	" tree	21' left.	78+16
tele pole	25' left	80+24	" fence	26' left	80+00
PP	27' right	81+30.	" fence	left.	82+45

10-22-71 Co surv. dug with tractor found iron shaft and L stones on N & S sides. - set C/M. over corner as found.

Meas S to fence line east. 2632.75

Meas S to iron shaft at 17-18-19-20. 5267.05

Midway would come at 2633.52

record S 1/2. Chas Fraser. 2632.4 3-1892.

Meas W to recorded stone set on proven line near record

Meas A 2642.64

see card 3.

Card # 3 section corner 7-8-17-18. 10-22-71. (3)
New Haven 10 8-15
#850805

RPS - 66.7 WSW Center large maple
still in place. 1939 Co R.P.

93.7 SSE ly center large elm
still in place 1939 Co R.P.

48.9 SE to NH Elec cap SW side
N states power pole no. 38

60.6 6' SSW center 10" pine.

Corner lies 2.5' west of center road.

Note: Road regraded [illegible]

5/21/73 CHD set CIM after grading
4" below top of rock
Rp's Spike & disc in 24" tree W 46.07'
top center tele cable marker post SSE 139.42'
Spike & disc in P.P. SE 47.41
Spike & disc in 24" tree SE 94.40'

#850805 #4

Section Corner 7-8-17-18 New Haven Twp.

Gov. Notes- John Cushing- Dep. Sur. Aug. 10, 1854
80.00 Set post corners of sec. 7-8-17-18 from which

Burr Oak 5 in. B N68W 19 lks.
Cherry 4 in. B N1E 19 lks.
Aspen 6 in. B S85E 34 lks.
Bur. Oak 5 in. B S20W 49 lks.