X Set CIm 10-1975 #850904 (1)

1/4 Corner 9-16 New Haven 108-15
12-1894 Jr Fraser P556 No 513 & 10, 11, 14, 15
Mr. Jack & Ed Morton Stafford stated where stake in place over 22 years. - found stake remains in exact spot.
- drove new stake in place & old stake remains.
- tested corner by running line and meas from NW corner & 16 over 1/16 stone and found distance twice 20.10 and line exact. 13266 (2592.04
- meas east to section corner NE 16 set 39.27 1/3
-16 west. found boulder stone anered by Mr Stafford
-over.

as true corner. M & L 20.10 (1326.6'

9-1964 J Kerr B 89 P63 Westlund.
run line from S 1/4 16 as set, north, very rough, gully & brush first 3/4 mile. to locate lands in south half of section 16. air relation to winding road..
- 1/4 9-16 now in level open cultivated field. located E-W 4 corner by meas east from 1/16 fence north west 4 corner. recorded boulder as 1/16 corner now great pile of huge to small boulders. (at least 4' dup! took fence N)

10-5-71 Co Surv meas from. SW 9 to SE 10
Corner in open cornfield. - set 120 D under fence on west fence & cattle lane. at 2267.0 about 17.5' S by cross RR tie Cor P fe W. Set W-2653.1
- station properly fence running N 3311.7
- set 40 D at 40600 in road island lines E edge road south E 2591.96
19.5 S & fence running West. total meas 5245.06. R 5245.24

(2)

¼ Corner 9-16 — New Haven — 108-15

#850904

10-23-75 Set CIM (deep) over ½" x 18" rod in open field at W.F's prorated measure. Dug 3' x 4' to clean clay at corner location but found nothing.

(1/16W) 10-23-75 Computed location and found it to come on east side of huge pile of boulders. Did not look extensively for recorded stone since it was a boulder

(OVER)

Gov. Notes Cushing, Dep. Sur. 6-12-1854
West on true line between 9 and 16.
40.00 Set quarter section post.
Aspen 6 in. S28E 3 lks.
Cherry 4 in. N78W 38 lks.
80.00 Section corner.