/ 10-4-71 found L stone set 5' channel run N side ①
10-12-71 set CIP
#850905
section corner 8-9-16-17 New Haven 108-15
12-1894 H. Fraser P556 no 513 S 10, 11, 14, 15
Alker, Campbell, Ackerman, Shanks and others.
No stake could be found, found S W B T with marks
plain also stump of N W B T undisputed,
- reset corner with stake and set stone by stake
from govt notes & bearing trees.
- 16 east found boulder which Mr. Stafford claims
as corner, that proved N & L 20.10 (1326.6'
to stake found as N 1/4 16.

over.

10-4-1971 Co surv. found corner post & fence west & north - only 2' left above ground. Many small to medium sized boulders near post near surface. After removing them found limestone 3" x 5/12 x 19" south of post 18" ± leaning slightly east with long width N & S. - found no wood stake but concrete block in lower area showed corner once used. by some surveyor placed 5' + long vee shape channel still at least 2" channel on each side stone up 2'

- meas east 1326.0 which came some 2' + east of new steel fence north on east side brush & tree fence row (believe corner better without C/M.)

Set 120 D under west Cattle lane fence 17.5' south of RR tie corner post & fence west at sta. 2267.0 no line. (MEASURING EAST)

Section Corner 8-9-16-17 New Haven 108-15

#850905

10-22-75 Dug out 3" X 5/12" X 19" limestone found in 1971 and set C.I.M. over 3/4" x 24" rod. Set stone on N. side and angle iron up 2' on E side. Corner 1' S. of corner post to fences N and W.

R.P.'s CSD W. side of corner post N. 1.22
Spike and CSD W. side of 12"
Choke Cherry S. 33.75

Gov. Notes- John Cushing, Aug. 10, 1854
80.00 Set corner post to sect. 8-9-16-17 from which:
Jack Oak 5 in. S69E 22 lks.
Jack Oak 6 in. S15W 61 lks.
Jack Oak 8 in. N46W 29 lks.
Jack Oak 6 in, N67E 55 lks.