L 9-30-71 set C/M ones org stones + angle iron etc. (1)
error did not set C/M set temp ½" rod.

H85 1104

¼ Corner. 11-14 New Haven 10 S-15.

12-1894 W Fraser P556 No 513 S10, 11, 14, 15
Alber, Campbell Ackerman and others.

Corner gone, reset corner M & L,
set 3 stones with stone in center as corner a little west center road.
-16 east drone stake M & L 20.48.
-16 west set stone M & L 20.48 (1351.68'
- south drone iron stake on line and 19.89 (1312.74'
south of ¼ 11-14 on line S ¼ 14.
- 1/16 center NW ¼ S14 drone iron stake M & L.
20.39 (1345.74' on E-W 1/16 line.

—over—

1-1897 W Fraser P604 No 549 L 11 Fred Ackerman.
found corner P 556
-16 N 00 E found stake set former survey M&L 19.90
- Meas east 40.96 (2703.36'
- Meas west 40.96

9-1939 J Kerr B 16 P 7 L 14-15 W Lehman.
-found corner set stage coach axle at NW cor 14 run line east. found 1/16 stone east and evidently stone at N 1/4 14.
-run line east from 1/16 south & NW 14 found iron set by Fraser at center NW 1/4 14 very near recorded meas. continued east to 1/16 south & 1/4 11-14 (iron recorded thereabs

#851104

Card #2 1/4 11-14 New Haven 10 & 15. (2)

9-30-71. found nail and 100' ⑤ N set by Mr Ehrenberg. dug and found 3 lengthy sandstones in clay sandy silt set angle iron & chain coupling attached from manure spreader wet. on S side centering over stone. - corner 5.9 north and .26 east of nail set. or 270 3.1 east to C/M. R. 270,36
- also found 1/16 stone west in fence row.
- set rod over stone on temp corner. stone down 3.5'
135.74 SSW to ginger ale cap on E side PP# 23701
31.16 6'S of E to tar nail in S side corner post of fence E.
75.35 Due west to 40 D on N side up 2' & 8" to oak. blazed.

1/16 S. over

Meas 1312.74 south on random transit line of part of fence visible presuming it to be 1/4 line S of Center - found no iron, measured and easily found 1/16 stone Center N W 1/4 section 14. at record distance to near west edge road. found nothing, dug Wedge road east to center. 1/16 found 1/2" iron pipe and several stones piled around it. 1/16 line 6' S W of large + 2' Br oak westerly of 3 large oats in fence line. set vertical stones & wood stake by side of pipe. -16 west found boulder and drag tooth as recorded. at 1351.65 M & L (west of 1/4 11-14). 1/16 south of 1/4 11-14. will have to be reset as originally set M & L on E-W 1/16 line. 1345.74' as both westerly corners in place.

#851104

(3)

¼ cor. 11-14 New Haven Twp.

Gov. Notes- Cushing, Dept. Sur. 6-12-1854
West on true line between 11 and 14.
40.00 Set quarter section post.
B lk. Oak 12 in. ?75W 251 lks.
Dug trench.
80.00 Section corner.