4-23-1964 set CIM over limestone and pipe. ①

T 851204

1/4 corner 12-13 New Haven 108-15.

5-1898 Dr Fraser P629 No 569 L. 12. Fred Ackerman

Corner came in field, set marked stake N&L 39.76

[2624.16' 4" broak. N 60¾° E 75½ lks.

-16 west drove iron stake N&L. 19.88 [1312.08'

-16 north set stake N&L 19.80 [1306.8'

-16 center SW¼ 12 set stake N&L 1980 on N-S 1/16 line.

4-1903 Ch Armstrong P49 B

Corner stake on plat.

- Meas west. 9.925 chs = 29.775 or 39.70.

-over-

-16 east stake M & L 19.83.
-16 south stone 2 x 10 x 14. no mear or disc.

6-1960 J Kerr. B 81 P 23. S12 Howard Zaft.
Run Bouch line S12 - set iron pipe M & L.
-16 west found iron stake P629. at 1312 M & L. 1312.08
set iron rod M & L 2624
-16 north set 1/2" rod. 4" ~~Iron~~ M & L. 1306.25'
RP 20" ash S61°45W 110.' - 18" elm. N31°05W 162.5'

4-1964. set C/M. over limestone & pipe.
- ~~Spike~~ Spike with punch mark in power pole.
- disc in tele guy pole. SW 58.54
~~S & E 267.39~~ gone 77'
Corner 28' S ℄ rd W & 23½' W of ℄ rd So and 15' NEly (at rt ∠) off center rd on curve
Corner on NE shoulder.

#851204 (2)

½ cor. 12-13 New Haven Twp.

Gov. Notes- Cushing, Dept. Sur. 6-12-1854
West on true line between 12 and 13.
40.00 Set quarter section post.
Raised mound with trench and drove charred stake.
80.00 Section corner.

6/7/60 John Kerr found ½" rod with 1" pipe RP Spike in PP S 58.5

4/23/64 John Kerr limestone with ¼" rod, set limestone over 1" pipe with limestone