8-28-1964 set C I N ones ½"x18" rod with ①
stones on E-W-N sides top C I N level ground.
#851405
section corner 14-15-22-23 New Haven 108-15
1-1858 Hunter P48 No 70 S.15 & 22 Cornell & others
used corner set 1/16 west for line north at 19.89 (1312.74.
also set prop corner for line south at 19.78 then 20.00 west.

12-1894 21 Fraser P556 No 513 S 10-11-14-15 6 parties
Corner gone - no evidence - no B Trees.
Meas N W 14 to 1/4 22-23 short 66 lks.
Meas S 1/4 15 to S E 14 over 74 lks.
set stone in center of 2 other stones as corner.

-over

4-30-1948 J Kerr B37 P23 E cornwell.
found corner easily run line west 1 mile 5276.5'
set 1/4 15-22 at 2651' then 2625.5 To sec cor.

also used corner. 9-1939 B 16 P 8 Lehman survey
to set or find 1/4 14-15 total mile 5243.89.

8-1964 found stones as described.
set C/M ones. 1/2" x 18" rod. with stones on E-W & N side
- Corner lies in intersa 4 way fences.
- Center 24" lightning scared b oak — SW 5.5'
- Center 8" blazed walnut — SE 33.7

Sec. Cor. 14-15-22-23 New H aven Twp. (2)
Gov. Notes- John Cushing, Dept. Sur. Aug. lo, 1854.
80.00 Set corner to sect. 14-15-22-23 from which
a Black Oak 15 in. B S35W 48 lks.
Black Oak 16 in. B S82W 100 lks.
Dug trench.

#85405