/ 8/7/89 CHD SET 5/8" BRASS PLUG #851805 (1)

section corner west 18-19. New Haven 108-15

3-1892 2 hos Fraser P471 no 452 & 18. Kennedy. Kane & others.

Corner gone- meas line S 1/4 17 108-15
west to SW13 108-16 but could not use it as a
prop. dist mined place corner in a mans yard.
- set temp stake on town line W 1/4 30 to W 1/4 18.
short 163 links. or 39.59 1/2 chs per 1/2 mile (2613.27'
-16 east corner shown on plat at 18.82 5/6 (1242.7'
thence 20.02 1/2 (1321.5' to S 1/4 18.

1-1896 2 F Fraser P 589 no 535 Sec line W 1/4 18 to W 1/4 30
found corner gone. P 471 found B.T. oak N 55 1/4 E 18.4' - over.

relocated corner 1/4 distance 39.59 1/2. (2613.3
W 1/4 18 and W 1/4 30 drove iron stake as corner.
-16 south drove iron stake. M & L 19.79 1/4.
1306.65

10-28-71 Co surv - found brs headed nail set by Co H D or some surveyor in road intersection
- Meas north to line fence west at W 1/4 18 2614.65 R. 2613.27
- Meas south to nail found in E road N-S-E 2609.35 "

Oct. 1853 Gov. Notes- Ball, Dept. Sur.
North between 19 and 24.
80.00 Set post.
Blk. Oak 5 in. N15W 96 lks.
Blk. Oak 6 in. N8E 124 lks.
Dug trench.

Section Corner West 18-19 New Haven 108-15 (2)
#851805

5-14-1980 W.18-19 (1980 Remon. Bk., Page 33) Dug with backhoe over traverse nail in center of intersection. Found a drag tooth 1½' deep and in old road on clay. There was a 1½" sq. hub on the North side of the drag tooth. Left as found. Said drag tooth .56 West and .66 South of the traverse nail.

5-27-1980 W.18-19 (1980 Remon BK. P.43) Set a ½"x16" rod over the drag tooth found 5-14-1980 and removed traverse nail.

5-29-1980 (1980 Remon BK-Page 46) West 18-19
Took RPs: Set a ½"x18" iron 199.73 East and on line to a ⅝" rod 586.09 East of the corner and on the hilltop East.
RPs "CSD in SW side pp# 42821 SE 125.80
Punch mark in top South end small C.M.P. in road East. SE 31.83

7-16-86, W. 18-19 ⚬ This corner may be destroyed by road construction. Took transit tie.
Set 5/8" re-rod (down 16") in cult. field S.W. Rod approx 200' W and 53' So. of the corner.
↑ @ 5/8" rod. Meas. to W. 18-19 ('1/2" rod) = 205.99
x Rt W. 18-19 to mont W'ly pow pole of ~~transmissi~~ line pair in N-S transmission line 1/4 mile ± East of the Co. line (2nd set of poles south of trop road running east from West 18-19.) = 63°35'47"
Add. R.P. & CSD in NE side small tree NW 81.89 gone 5-87
8/7/89 C.H.D. SET 5/8" BRASS PLUG IN ℄ C.R. #5 RP's
CHD DISC. IN P.P. NE 90.38'
SPIKE & DISC IN TREE NW 131.19'