/ 8/7/89 C.H.D. SET 5/8" BRASS PLUG #851905 ①

section corner West 19-30 New Haven 108-15
1-1896 St Fraser P589 No 535 for town Board.
line for road from W¼ 18 to W¼ 30 or line used.
- located and drove iron stake on line and ¼ distance from W¼ 30 to W¼ 18.
- 16 north drove iron stake N & L 19.79 3/4 (1306.64'
- 16 south drove iron stake N & L 19.79 3/4 (1306.64'

5-1910 Ch Larson P124B N½ NW¼ 30 Sam Closner.
accepting survey as top of plat being east (not north as usually drawn) corner above should be claimed as.
- found iron stake set above by St Fraser and W¼ 30 as "hard head" described by Hunter & Fraser as boulder

(over)

-16 south set iron rod N 0 L 19.82. (1308.12
W Fraser set rod there N 0 L 19 79 3/4 ((1306.64'

10-28-71 Meas W 1/4 30 18 to W 1/4 18 sec W 1/4 19.
by lining with fences west beheine corner could be in line
of fence - corner would be deep - Meas to 1/16 fence running
west south 1305.4 R. 1306.65
- Meas north to 1/16 fence both E & W 1311.35

Oct. 1853 Gov't Notes- Ball, Dept. Sur.
North between 25 and 30.
80.00 Marked aspen 4 in. for section corner.
Blk. Oak 16 in. S25W 45 lks.
Aspen 8 in. N30W 10 lks.
Aspen 8 in. N8E 15 lks.
Aspen 8 in. S40E 18 lks.

#851905 (2)

Section Corner West 19-30 New Haven 108-15

5-28-1980 W. 19-30 (1980 Reman. BK, P44): Set a ½" x 18" rod on line from the W¼ Cor 30 to W. 18-19 and at W.F. prorated measure as per Survey No 535. This corner came in line with the fence West and 4.5 West of the present ℄. Deep road cut here so did not dig.

RP's: CSD in North side corner post West 41.18

CSD in North side 18" Elm West 69.94

SW Cor. house Fdtn NW 120.83

NE Cor. house Fdtn NW 117.01

7-16-85, W. 19-30: Corner may be destroyed by road construction

Set 5/8" re-rod .8 South of fence running West (down 1')

5/8" rod .7 West of eyeball of E side of house to North.

T @ 5/8" rod meas. to W 19-30 (1½" rod) = 91.97.

∡ Pt W. 19-30 to W'ly pole of two transmission poles running N-S ¼ mile ± E of Co. Line = 21°27'33"

8/7/89 C.H.D. SET 5/8" BRASS PLUG IN ℄ C.R.
#5 RP's
CSD IN 3' STUMP W 69.95'
CHD DISC. IN P.P. NW 50.98'