/ 12-13-73 set CIM over iron rod. found stake (1)
Cert 3-7-75 #852304

1/4 Corner 23-26 New Haven 10 S -15-

11-1887 Hunter P424 No 413 S 26 J Revelle - A. Patterson
found old stake from SW B Tree and stump of NE BT.
drove new stake in its place
- 16 east drove stake M & L 20.53 (1354.98' to NE 26
Corner finally found after coming in from 1/4 24-25 39.68 chs

---

5-1895 H Fraser P570 No 522 NW 1/4 S 26 Osborn, Kolbe.
found stake remains east of corner post stated stump of B Tree.
- west set stake 2.50 chs west for line staked south
no mention of NW corner or what used for line west.

12-13-73 Corner iron set as corner in 1972 survey
- ran traverse to corner in place. As traverse indicated
corner should be south and west dug and found stake
.44 south and 1.95 west of iron in place. set CIM over
rod driven into location of stake found.
Meas south to center 26 & RR spike set as corner
2631.7± then 2634.74 to 1/4 26-35
RP CIM 1/4 23-26
33.25 E to 18" basswood
20.82 N.W. to 9" ash
6.5 S.S.W. to center post of in fair line old fence North

New Haven 1/4 corner 25-26 #852304 (2
Civil Works Cushing 1854
40.00 N to temp 1/4 sect post
West on true line between sect 23126 V 9° 4' E
40.00 Set 1/4 sect post from witness
Black Oak 12 in 5 48 W 4 L
Black Oak 12 in N 28 E 34 L