/ 12-4-73 set C/M one long iron pipe cut 3-7 D

1/4 corner 25-26 New Haven 108-15
#852506

2-1882 Hunter P 374 No 365 S 25 Seth Wilson, C Vroman.
Corner gone. I found stumps of witness trees which placed
corner on end of old fence post which was fence corner.
set new stake as corner. (took 2 B trees now likely gone.
- south set stakes at 4.98 3/4 (329.18' then 24.93 3/4 (1645.88
then 9.97 1/2 (658.35' to section corner.

11-1887 Hunter P 424 No 413 S 26. J. Revelle, N. Patterson
found 2 B trees taken P 374 standing - reset stake found.
-16 west set stake M & L. 20.10 (1326.6
-16 south found stake M & L 19.95 (1316.7'

- over -

5-1895 2t Fraser P 571 No 523 NW 1/4 S 25 Clason.
Brockway & others.
found old stake & stumps of witness
trees given P 374 tested & found stake correct.
- drove new stake with stones on 2 sides of stake.
- 16 east drove stake M & L. 20.01 1/2. (1321'
B tree 10" br. oak. N 84 1/2 E 8 links. (5.3'
- 1/64 east drove stake M & L. 10,00 3/4 or 660.4 west of 1/4 Cor.

6-1899 Robt Fraser. P 643 No 579 S 25. Stevens, Holmes.
& others.
found stake set in place & orig stake
no mention of any stones - 39.76 (2624.16 north to sec. cor.

1/4 Corner 25-26 New Haven - 108-15
#852506 (2)

McGhie - Sec. 25 probably in 1950's

found Stone standing on end with a lath by it.
it is 10' N. of REA Pole #23,601 and 41.6 So. of Semi-tan.
and 142.7' ahead of P.I. sta. 92+47.1

Meas. South To Sec. Cor. (a L.S. with 5/8" rod) 2632.2'
Meas East To 1/16 line fence - 1321.0'

McGhie (R.B) Sec. 26 - Sept. 20, 1967

found Tipped Stone, Set 1½" Iron Pipe in its place
it is 10' ± N. of R.E.A. Pole #23,601 and ± 110' N. of ℄ Co. Rd.
142.8' ahead of P.I. and 42.16' S. of Semi-tan.
Staked - S. 450' of E. 480' of N.E.1/4 Sec. 26 plus add'n.
lands in S.E.1/4 26 and W.1/2 Sec. 25.

(OVER

12-4-73 found pipe, dug to clay in 4' area arround pipe, found about 3" ϕ well preserved old wood stake 3/4" dia. about .9' east .5' north of pipe. and several stones likely found in 1967. removed all stones drove pipe down to over 30" and set C/M. on pipe. still 10' ± to center pole.
12-12-73 ran and meas elec line from C/M at 1/4 26-27 over hail in u bar set as corner at 1/16 east projecting line carefully. east which fell 1324.32 to 1/16 Mail cor'd. 5.304.04 for total mile - set center at 2648.64 as line fell 2.33 south of 1/4 25-26 Moved. center 26 hail north 1.16 making RR spike driven as corner. Meas. west 2648.64 east 2655.36 south 2634.74. North 2631.7±

New Haven 1/4 mile 25-26
#852506 (3
Gavi Wells looking 185?
40.00 set 1/4 steel post from wire 6 a
Black Oak 28 in 5 to W-2 L
Ash 6 in N 37 E 37 L