852606

/ 10-13-71. set C/M. over 5/8 x 18 iron and over stones on N & S sides

1/4 Corner and 1/16 east. 26-27 New Haven 108-15 (1)

11-1887 Hunter P 424 No 413. L 26 J Revelle, M.L. Patterson found stones in center road, a boulder and quarry stone, the limestone which Mr Chas Osborn avers he set by side of old stake, the other he could not vouch for. took quarry stone as true corner.

– Meas east 40.14 To stone at Center 26. (2649.24'

5-1895 H Fraser P 570 No 522 NW 1/4 26 H Osborn, M Kolbe. found stone set P 424.

–16 east set stone 2x6x18 M & L. 20.06 1/2 (1324.27'

then 17.56 1/2 (1159.3' To stone then 2.50 (165' To center.

Bearing South line N 89 3/4° W at center N 3/4° E

(over

8-2-71 Co surv found 3/8" rod set by McGhie on line fence south and center road at 1/4 corner 26-27. Meas east with 300' tape no allowance for slight rise. Made ⊙ in spike head near E rail tracks (west one) near main center road west 1139.3 - cont to eyebolt of fence line north (some 300 400 feet) 1321.5± (R 2x6x18 stone at 1324.27') stone had to be set when rails in place - very little if any cut here. could find both corners easily.

10-13-71 dug twice for recorded stone. 10-7 found 3/8" rod in center road. set by McGhie, also boulder. 9x10x19 in line fence south and 2' south of south edge traveled road. used this stone & E 1/4 26, ran E-W 1/4 line aerials. - Meas North from 1/4 26-35 stone found to nail inters 2624.73 R. 2635.4

see Card # 2

#852606
108-15

Card # 2. 1/4 26-27 New Haven

(2)

10-13-71 found recorded L stone 4x6x19 with boulder 10x11x14. on S side. 19.25' north of boulder found. about 2' north of north edge road. - set 5/8"x18" iron below C/M with L stones on N & S sides - slightly east of main fence south.

R.P.S. 13' N to eyeball line of power poles east.
77.2 E.N.E. to 7up cap on S side PP # 23611.
88.25 E.S.E. to hard nail in knot on NE side PP brace # 23612
44.7 S to nail on W side corner post of fence E-S-W
75' S to 5/8"x2' rod under fence up 3" in stones

over 1/16 E

1/16 corner betw stone at 1/4 26-27 (recorded L stone) and recorded (1/16 stone east.) and center 26 (gone). 10-8 dug extensively on line boulder first found at 1/4 26-27 and pipe at 1/4. 25-26. found nothing. — 10-13 dug again after meas from 1/4 26-35 north. found recorded 1/4 26-27 easily. — dug again at 1/16 and also found easily. set 3' long heavy 2" ∨ stayed iron one stone. — proj line east found bring meas from south. 2633.39 R 2635.4
136.16 WNW to lead & 30D nail (county bench) on N side of PP up 20" # 23607. on slope
140.15 WSW to center top 8" □ conc Railway 6' high Pat M133.
207 N to eyeball of line power poles running west.
if center put on line pipe at 1/4 25-26. Meas west
this 1/16 should go north. .48 north. R. 1324.3

New Haven 1/4 corner 26-27 #852606 (3
Cast Metal Casting 1854
40.00 Set 1/2 rod post in mound with
trench & pit. Inclinations, drive chain stake

8-24-93 Fd CIM in good condition in line
of fence South & 11' North of & E-W Twp Rd