#852704 (1)

1/4 Corner 27-34 New Haven 10 8-15.

No records.

6-1946 J Kerr B30 P57 Jess Felt & 34.

set stone 2x7x16. with old stake by side packed with stones

- south found stone 2"x5"x 2" in place at 327.63'

-16 south. 1" pipe 3.5' long at 1306.65. set M&L.

22" hackberry SW 16.6'

22" hard maple N 64.7' with fence wires wrapped around.

- center 34 south accepted corner post. at 2633.1

1/16 north of center 34 Sta 3940.65 - Sta N 1/4 34 5246.63

- Meas N 1/4 34 east to NE 34 2660.0± on line 327.63 Set

(OVER)

1/4 corner stone set by projecting line from 1/64 stone found.
327.63' (identical mean as on east line of NE 1/4 34.) north
on N-S 1/4 line started at S 1/4 34 over stones & irons of village
of Genoa over center 34 (could have been stone) setting 1/16 corner
North of Center 34 computing mean from 1/64 stone found.
- Points in Genoa used. 1. stone found 551.1 north of S 1/4 34.
2. SW corner block 4 from no 1. 381.0 R 383.4. 1931 survey 384.6
S 1/4 34 to center 2633.3 - center to 1/16 1306.65
Center to 1/4 stone 2285.7 - stone N to 1/4 cor. set 327.63'

UNDECIDED CORNER (2)

1/4 Cor 27-34 New Haven 108-15
#852704

8-17-93 Visited Corner fd John Kerr 2x7x16 stone packed in stone 41' west of N-S fence fd

Vince Fangman (1988) Tree ties & re tied R. P.'s

Ash N.E. 42.34 VF 42.44

Oak NE 25.41 VF 25.55

Elm SW 9.33 VF 9.23

UNDECIDED CORNER

8-24-93 Dug at midway ⅋ line Pt. 27' East of stone by J. Kerr. Fd 2" diameter stake hole with wood pieces 16" deep into clay. We dug from 6' North of stake to 5' south and 2½' East ⅋ west of stake. Average depth of 3' to clay ~~the~~ top of stake hole was 2.6' deep.

Set CIC/P2 at stake hole location

R.P.'s

V. Fangman 20d spike in 9" Elm WSW 34.30'

V. Fangman 20d spike in 24" Ash NNW 37.28'

Stone by J Kerr W 26.69'

Pole barn spike in 6" Elm SW 4.85'

The corner falls 14' west of N-S pasture fence. Set Sign ⊕Post 1' North