/ 11-10-71 set 4' steel 2 Cards. post as corner. ①

section corner 27-28-33-34 New Haven 108-15
12-1897 & Fraser P614 No 558 & 33. #852705
J Allman, A Hurd, D Pierce
found stake at corner, with remains of old stake in the ground by its side. This corner has always been kept up by Mrs. Button. Drove new stake in place of old stake and planted stone by its side.
-16 west. drove drag torch N & L 19.90 (1313.4'
-16 south drove stake and drag torch N & L 19.82. (1308.12'
- west & above 1/16 drove stake on E-W 1/16 line at 495 (326.7' then 14.84 (979.44' to 1/16 stake set N & L 1306.14, then 989½ (653.07' twice to 1/16 on N-S 1/4 line. (stake set N & L 19.88 (1312.08'

over.

7-1910 Ch Larson P130 B L28 H Luke, N Ward, N Pierce. found corner "set in former survey no meas or desc.

6-1946 J Kerr B 30 P62 L lines 33-34, North-[illegible] found drag tooth 2620.65 north of 1/16 stone south of stone at 1/4 33-34. no real mention or desc of 1/4 cor stone (5) 68' E at 1/16 stone, came 42' E at drag tooth – 1/4 cor to be on direct line would be W 55.0' Note says "E 1/4 cor shoned be. 1314.5 and 64.63 west of random line indicating 9.63 kink 1/4 Mile stone at 1/4 33-34. 1/16 drag tooth replaced by drive staft L. moon.

5-1946 Co H D B146 (149?) no 49. run line from NW corner stone etc 33 over stone at 1/4 28-33 doubling meas of 2626.6. set 1"x2" hub - RP Lp 8" ash NE 17.8 Lp 20" Elm SE 22.0 Lp 6" ironwood SW 5.0'

1968 Kasler Schmidt Co. pushed line from C/N at 1/4 33-34 (as set) over 1/16 drive staft 1306.5 found Nothing.

II Card #2 27-28-33-34 New Haven 108-15.

11-30-70 Co surv. offset 150' west at rod set in stake hole by small L stone 5.3' west of C1M at 1/4 33-34 assuming this new corner to be nearer correct. (12-1-70 found W Fraser corner or part of org stone and deep stake hole - which proves new 1/4 33-34 within .06' or exact as near as transit line can be rux. - found 150' random offset at 1/16 shaft. north to be 150.26

#852705

— Meas from 1/16 north (last 165' slope meas.) to nail 1311.48. R 1308.12 had to just line further & back chost to corner area. found 3 witness trees Co H D tied their line from west in 5-1946 which would place above line 6 to 8' east of Co corner. dug from 1311 south 8' - 2' E of line from S west to Co corner area. — soil & terrain in area doubtful that corner could survive. will run line & meas in from west - did not meas line south of 1/16 cor - 1965 set at 1306.5 - 1946 26 20.65 N-S 1/16 to 1/16

12-2-1970 Co surv found staff at 28-29-32-33 meas last found fence line north at 2625.5 R 2626.8 W Fraser 2626.6 Co H.D. - cont east set nail at 3940 as curve in road starting sheer slope cut ahead. - will traverse enter mile to prone location & E-W on this corner.
RP to 39.40 nail - 40D E side 4" elm N 11.0 - 40D S side 5" elm E 47.8

11-9-1971 reset 1/4 33-34 with CIM. at Corner decorated 6.3' west & CIM set 1965 J Kerr removed old CIM. - meas new CIM to 1/16 staff north 1306.87
W Fraser 1308.12 J Kerr to old CIM .4' north 1306.5.

11-10-71 re run aerial from CIM as reset at 1/4 33-34. north on 50' ⑤ west exact at 1/16 staff north and carefully projected line to 27-28-33-34, found as in 11-30-70 to be .52 west & true line so reset point on this line and at 1306.87 br 3.39 N & 1303.48 nail set. 11-30-70.

#852705

Card # 3. 27-28-33-34 New Haven 108-15.
11-10-71 cont.

set ¼ long piece of red top type steel post at ③
corner with limerock piled around corner. up 10"
- found that long fence post broken off on exact south
¼ corner on exact line.

corner as set lies 3.9' north of direct line of NW 33
over ¼ 28-33. or ¼ 28-33 lies 1.95 S of direct line
between section corners as set.

May, 1863 P.C. Compton Pg 70 No. 99 shows Sec. Corner
(See Survey for interior breakdown of Sec. 28

over RPS. 10-10-71.

31.45 ENE to 40 D nail in hub on S. side.
16" base wood. used as fence terminal E & S.

18.92 SE to head of 40 D nail on SW side huge elm
driven in natural mark or blaze

10.35 WSW to 16 D nail on NW side 16" iron wood

38.97 NW to 40 D nail in hub on NW side
14" iron wood.
Corner about 24' west of fence N & S at corner.

Corner No. 1 Looking West
80.00 Set corner to section 27-28-33-34 from which a
Elm? 10" N 53 E 9 link
Hickory 8" S 57 W 36 L