#852806

1/4 Corner 28-29 New Haven 10 8-15 ①

1-1895 2t Fraser P590 No 536 L29 Frost Bros.

found stake set earlier survey in place of stake set by Hunter from orig stake.

-16 south set stake M&L 19.95 (1316.7'

-16 west set stake M&L 20.0 ch. (1324.6'

with stake west as 1/64 at 10.03 1/2 (662.3' M&L.

6-1910 Ch Larson P126 B NE 1/4 29 Hooke, Soldner.

set oak stake no details or measurements.

-16 north set oak stake which is 19.86 (1310.76 & 1/4 NE 29 - other C.M. now.

-16 center N E 1/4 29 found stake, drone hole 2 1/2'
deep filled with lime, slt. limestone on top. with meas
& east 1984 and north 1988
poorly explained survey as usual.

7-1910 Ch Larsen P130 B. L28 H Lake, H Ward, M Pierce.
Reset corner from meas P590. evidently N-S-W.
on running N-S line betw 28-29 found this to be 25 lks.
(16.5' east of direct line accepted by Frasers meas.
W F meas. 39.90 south 2633.4 - East not W.F. 39.82. 2628.12
- Note indicates meas north 40.22 (2654.52) when he set
large limestone & lime hole below where C/M lies 1970
- this corner not one believe can be found - not easily
- indicates corner lies east of direct line 25 lks. 16.5'
60-1 R-1-S Cedar 15 S-W
60.00 S-1 1/4 S-1 P-S-1 -- W -- 6
White Oak 8-in 535 E 35 L
Bur Oak 8-in 538 row L

1/4 Corner 28-29 New Haven 108-15 (2)
#852806
May, 1863 P.C. Compton Pg. 70 No. 99 shows 1/4 Corner
used to set center sec. 28 at Intersecting lines