X 10-18-71 set C/M over orig stone found. (1)

#852905

section corner 29-30-31-32 New Haven 108-15
11-1874 Hunter P264 no 262 L30 R Cornfield rocher
found stone center crossroads placed by Dresback and neighbor
tested 2 B trees standing and found corner did not check out.
dug and found piece of old stake, removed stone and set
where stake was found 191 lks (112.86' to SE BT
84 lks. (55.44' to NW BT.
– 16 west set boulder 5x8x14 M&L. 19.97½ (1318.35'
also set stone 6.3 chs. (415.8' east of (S¼ 30 a stone)
leaving 13.67½ chs 902.66 to about 1/16 cor.

6-1910 Ch Larson P128 B L32. Ward, Blake & Prentiss
found stone set in former survey no mear.

– over –

1940 Co Hwy Dept. B103 P 591.

found boulder. Mr Pierce owns boulder as true cor.

Sp power pole. SW 49.2.
" 30" maple N17°E. NNE 80.7.
" 16" Maple SE 104.1.

12-2-1970 Co surv inspected prospects of finding corner. all ties in place trees large especially NNE one, 0 ties center within 18" area. corner may be fairly deep if SW tie is level ont.

10-18-71 dug for corner, found pointed boulder about. 7 x 16 x 14. - placed old car radio on east side with C/M over stone - top of stone 2.5' deep
- Corner in center crossroads.
- Meas south to 1/16 fence running W. 1321.0 no record
" " " 1/4 " " E. 2639.0 " of meas
See card 2. stone recorded

Card # 2. Sec 29-30-31-32 New Haven (2)

Meas west to 1/16 fence running N. 1320.4. R 1318.35

Meas west to 1/4 fence running S. 2642.0 R 2636.7

Can't understand property fence both should be 1/4 line of L 30 but at only about 2540 from C.I.M. #852905

40 D in west base of huge maple in root: NNE 81.2. Co 80.7

40 D near base of large maple W side

Nail placed vertically to keep cattle off at SSE 104.8. Co 104.1

large lead & spike driven in S E side PP

22941. set by Co HD in 1935. SW. 49.15 Co 49.2

single punch mark in top center rim of west end 24" road culv. SW 37.03

over

top center square metal tele cable post.
No 601 over 31 over C9A over 1.ENE 84.2

Dr Pepperbilt cap in SE side pp# 22967 NE 59.1

small thin tele cable warning post NNE 72.7

Grid Notes running N-S

80.00 S-E post for corner to mark 29-30-31-32

from mark a bar Oak 6-in N 10 W 51 Lks

Bur Oak 10-in N 26 E 58 Lks

Bur Oak 10-in S 51 E 65

dog found

5-7-1979 Found CIM O.K.! (1979 Remon Book Page 49)