Section Corner West Section Cor 30-31 New Haven 108-15
8/7/89 C.H.D. SET 5/8" BRASS PLUG #853005 (1)

Nov., 1978 Dodge Co. Surveyor, Ron Murphy, reports a survey by C. Larson in Sec. 25, 108-16, 1912 in which he records finding a limestone here and set a 2"x6"x6" ~~stone~~ limestone and stake @ the 1/16th North.

He also mentions a corner @ W 1/4 31 but does not say what it was.

5-9-80
At West 30-31 (1980 Remon BK, Page 24) Dug with backhoe over point set at double the line and measure from boulder at W1/4 30 over the stone found at the 1/16 So. Found 4"x5"x10" limestone standing beneath old road & 3½' deep. Found stake mark on North side of stone (.4N of center of stone.) Put ½"x22" rod in stake mark and bent over stone. Put CIM head on South side

of stone. Set 5/8" x 3' rod at road surface over stone.
~~at road surface~~ Corner 1.3 E & N-S road and 14'
South & road East LRP } t.n NNW 14.80
c.n W 11.50

RP's: Punch hole top West end concrete culvert SW 44.27
Punch hole top East end concrete culvert SE 42.25

We set a 1" sq x 35" pipe with cap 200.00 East and on line to Sec. Cor. 29-30-31-32. Said pipe is 13' South & of road East.

1/16th South (1980 Remon BK, Page 26) Dug in line with farm yard 5-8-80 fence East (1937 aerial photo shows this was a 1/16th fence) which came 1313 from West 30-31. Dug over the line from SW 31 to W 30-31 which came slightly West of &. Dug only 2' wide by 5' deep to clay but found nothing.

1/16th South (1980 Remon BK P. 36) Dug with backhoe from & 5-16-80 and E edge previous dig) East for 5'+ by 6' deep to clay. Found nothing

Section Corner West Section Cor. 30-31 New Haven

#853005 (2)

Govt Notes

80.00 Set post corner to section 25-30-31 + 36

Bk Oak 10 N 40 E 589

Blk Oak 10 N 10 W 719

dog trench

7-15-85, W. 30-31 : This corner may be destroyed by road construction. Fd 1" sq pipe/cap set 200.00 East and on line to NE 31 in 1978.

T @ 1" sq pipe mean. to U 30-31 = 199.92

Rt W 30-31 to W'ly pole of pair in N-S transmission line 1/4 mile ± East of corner (3rd pair North of road running E-W on North line Sec. 31) = 110° 08' 39"

8/7/89 C.H.D. SET 5/8" BRASS PLUG IN E
C.R. #5 R.P.
CHD DISC. IN P.P. WSW 56.82'