1 10-13-71 set C/M over orig stone #853306 (1)

1/4 Corner 32-33 New Haven 10 8-15

4-1875 Hunter P269 No 267 S32 L Mallan & others
found orig stake standing, all witness trees gone
but one stump. corner correct
-16 west set stake M&L 19.96 (1317.36'
8" J oak N22°W 15lks — 10" J. oak S77½°E 51½ lks.
-16 Center NE 1/4 32 set stake M&L 19.99 on N-S 1/16 line.

12-1897 2r Fraser P614 No 558 S33 Allman, Hurd, Peirce.
found stone set by D Peirce, Mrs Pike and others
tested stump of 1 witness tree. set on Hunter corner.
-16 east set marked stake M&L 19.85 (1310.1'

4-1905 R Fraser P78B S33 Town Board -over-

found stone in center road P 614. 655.96
– east found 1/16 stake – set 1/64 stake M & L 9.93 7/8
– 16 south drove iron stake M & L 19.96 1/8 (656.-
– 1/64 corner east of above 1/16 drove iron M&L N&S (1317.3' same.

6-27-1910 Ch Larson P 128 B. L 32. H Lake.
found stone set in former survey.
–16 west 19.93 (1315.4' could be iron stake or lime bolder
–16 south 19.96 (1317.35 M&L (same) " Indefinite.
–16 center SE 1/4 32 (same) "
19.92 east to 1/16 – 19.96 north to 1/16.

12-4-1970 Co Surv. Meas from county pipe in center black top as 1/16 corner south, north to fence line running east 1315.3.
found Higham pipe in center road. 0 1316.1 just N of Co post line
– meas from ℄ road (had not found Higham corner yet) east to help check records found woods fence running south at 674.0 R 656.
– found Higham pipe under S edge fence running E & W at 660± from ℄.
– found at 1342' what could be corner post. Meas run line east.

L#8533061

Card No 2 1/4 32-33 New Haven 108-15 (2)

10-13-1971 dug with tractor found 6x7x15 limestone in perfect form. down 2.5' about 1.5' east center road. - set C/M over org stone, much trash just east of Cor. corner came 1.7' E and .2' S of Hyhum pipe.

RPs. 34.0 E to hard nail on S side center Cor post of fence east and north. 7" cedar post.

- 75' E to 1/2"x2' rod under fence just north of wire.
- 39.74 N.W. to ° ° in N end 15" galv field drive culv.
- 27.6 WNW " " "S " "

Meas south to county set 1/16 iron 1316 R1317.3.

(over)

Cor'l Notes pushing 1854
Wit. tree Std 1/4 Std post from which a
Bur Oak 8in S 59 E 61 L
Log trench

Feb, 1863 P.C. Compton Pg. 68 No. 95 1/4 Section Post Gone
Established it by U.S. Field Notes from Witness trees,
used Corner for breakdown of S.W. 1/4 Sec. 33